
STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

APPLICATION FOR PERMIT TO DRILL

			FORM 3
			ED REPORT
		5. MINERAL LEASE NO:	6. SURFACE:
	·	UTU-27403	Federal
		7. IF INDIAN, ALLOTTEE OR T	TRIBE NAME:
E ZON	E	8. UNIT of CA AGREEMENT N	IAME:
		9. WELL NAME and NUMBER Cisco 30-8-4	,
₹:		10. FIELD AND POOL, OR WI	LDCAT:
)510		Greater Cisco	
018	3	11. QTR/QTR, SECTION, TOV MERIDIAN:	VNSHIP, RANGE,
593.	2	SENE 30 20S	3 24E
		12. COUNTY:	13. STATE:
		Grand	UTAH
	17. N	UMBER OF ACRES ASSIGNED	TO THIS WELL:
cres			40 Acres
	20. B	OND DESCRIPTION:	
340		ГВ 000207	
	23. E	STIMATED DURATION:	
	21	days	
RAM			
PE, QUA	NTITY,	YIELD, AND SLURRY WEIGHT	
		·	
		·	
PLAN			
	RSON C	OR COMPANY OTHER THAN TH	F LEASE OWNER
		ACCOMPANION OF THE THE	- LENGE OTHER
<u> </u>			
1		7	
ری /	<u> </u>	<u> </u>	
•		RECEIVED)
			,

1A. TYPE OF WO	ORK: DRILL 🗹 REENTE	R 🗆	DEEPEN			7. IF INDIAN, ALLOTTEE OR	TRIBE NAME:
B. TYPE OF WE	ILI: OIL GAS 🗸 OTHER_		SIN	GLE ZONE 🗹 MULTIPLE 2	ONE	8. UNIT OF CA AGREEMENT I	NAME:
2. NAME OF OPE						9. WELL NAME and NUMBER	: <u>,</u>
	oxes Petroleum, Inc.					Cisco 30-8-4	
3. ADDRESS OF 7060 B S.	Tucson Way CITY Centennial	STATE	CO ZIP 80	PHONE NUMBER: (720) 889-05		10. FIELD AND POOL, OR W Greater Cisco	ILDCAT:
4. LOCATION OF	WELL (FOOTAGES)	1.11	711010	39.6390	<u>, 8</u>	11. QTR/QTR, SECTION, TO MERIDIAN:	MNSHIP, RANGE,
AT SURFACE:	2195' fnl & 500' fel SE NE	44	19861		· •	SENE 30 208	3 24E
AT PROPOSED	PRODUCING ZCNE: Same as above	43	22280	oy -109.24 5	132		
14. DISTANCE IN	MILES AND DIRECTION FROM NEAREST TOWN	OR POST	OFFICE:			12. COUNTY:	13. STATE: UTAH
7 miles N	lortheast of Cisco, Utah					Grand	
15. DISTANCE TO	O NEAREST PROPERTY OR LEASE LINE (FEET)		16. NUMBER O	F ACRES IN LEASE:	17.	NUMBER OF ACRES ASSIGNED	TO THIS WELL:
500 ft.				599.52 Acr	es		40 Acres
	O NEAREST WELL (DRILLING, COMPLETED, OR R) ON THIS LEASE (FEET)		19. PROPOSED	DEPTH:	20.	BOND DESCRIPTION:	- · · · · · · · · · · · · · · · · · · ·
2241 ft.	Y ON THIS ELECT (I ELT)			1,34	10 U	JTB 000207	
21. ELEVATIONS	(SHOW WHETHER DF, RT, GR, ETC.):		22. APPROXIMA	ATE DATE WORK WILL START:	23.	ESTIMATED DURATION:	
4481' GL			3/1/2007	7	2	21 days	
24.	PRO	POSE	D CASING A	ND CEMENTING PROGRA		 	
SIZE OF HOLE	CASING SIZE, GRADE, AND WEIGHT PER FO		ETTING DEPTH			VIELD AND SUIDBY MEIOUT	
SIZE OF HOLE	<u> </u>		ETTING DEPTH	CEMENT TIPE	, QUANTIT	Y, YIELD, AND SLURRY WEIGHT	
	See Attached A thru	9					
						•	
		\top					
		+				+	
25.			ATTA	CHMENTS			
VERIFY THE FOL	LOWING ARE ATTACHED IN ACCORDANCE WITH	THE UTA	AH OIL AND GAS C	ONSERVATION GENERAL RULES:			
[7]				l 🖂			
WELL PL	AT OR MAP PREPARED BY LICENSED SURVEYO	R OR ENG	INEER	COMPLETE DRILLING PL	.AN		
V EVIDENC	CE OF DIVISION OF WATER RIGHTS APPROVAL F	OR USE C	OF WATER	FORM 5, IF OPERATOR I	S PERSON	OR COMPANY OTHER THAN TH	HE LEASE OWNER
	Nell D. Oberes		· · · · · · · · · · · · · · · · · · ·			+	
NAME (PLEASE	PRINT) Neil D. Sharp	_		TITLE Geologist	,		
SIGNATURE	Ne Mohay			DATE	311	20	
(This space for Sta	te use only)		A	pproved by the	7		
(11.00				Itah Division of		RECEIVED	`
			_	Gas and Mining		· · · · · · · · · · · · · · · · · · ·	,
API NUMBER AS	signed: 43-219-31529		—	APPROVAL:		FEB 0 2 2007	
			Date:		_ [DIV. OF OIL, GAS & MIN	IING
(11/2001)	Pederal Approval of this Action is Necessary		(See Interruction	ns on Revellae Side	<u>~</u>		
	,		~ ~ ~ ~	4			

Attachment G




FEB 0 2 2007

CISCO 30-8- 4

DIV. OF OIL, GAS & MINING COUNTY, UTAH

PREPARED FOR: RUNNING FOXES PETROLEUM INC., 7060B S. TUCSON WAY, CENTENNIAL, COLORADO 80112



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS FREFARED PACUL FIELD NOTES OF ADRIAL SURVEYS MADE BY ME OR UNDER MY SUFERVISION FAID THAT THE SAME AND TRUE AND CORRECT TO THE EST OF MY UNOSE, FREE AND ESTATES.





UDELL S. WILLIAMS

Professional Land Surveyor 449 E. Scenic Dr. (970) 254-0157 Grand Junction, Cotorado 81503-1559 Sun progressional de Salvan Unit Scenical


PLATICE PROPOSED LOCATION

CISCO 30-8-4

SESENE SECTION 30 T20S, R24E, SLB&M


SURVEYED BY: USW DATE: 12/14/2006

DIGNALBY: USW DATE: 12/18/2006



FINISHED GRADE ELEV. AT LOC. STAKE = 4481.0'

Prepared for: RUNNING FOXES PETROLEUM INC., 7060B S. Tucson Way, Centennial, CO 80112



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM PIELD HOTES OF ACTUAL SURVEYS DEVIE BY ME OR UNDER MY SUPERIESION AND TRAT THE SAME FRE TRADE AND CORRECT TO THE BEST OF MY MY DIVILED GE AND HELTE.





UDELL S. WILLIAMS

Professional Land Surveyor 449 E. Scenic Or. (970) 254-0157 Grand Junction, Colorado 81503-1569

TYPICAL CROSS SECTIONS FOR CISCO 30-8-4

SECTION 30, T20S, R24E, SLB&M 2195' FNL 500' FEL

12/15/2006 USW. DATE: SURVEYED BY: 12/28/2006 USW DATE DRAWN BY:

Bureau of Land Management Price, Moab and Monticello Field Offices, Utah Application for Permit to Drill On-Site Inspection Checklist

Company Running Foxes F	Petroleum, Inc. \	/Vell No	Cisco 30-8-4	
Location: Sec30, T20	<u>0S,</u> R. <u>24E</u> , Lease N	o. <u>UTU</u> -	27403	,
On-Site Inspection Date	7			

All operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR§3100 & 43 CFR§3160), Onshore Oil and Gas Orders, the approved plan of operations and the conditions of approval. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

A. DRILLING PROGRAM

- 1. <u>Surface Formation and Estimated Formation Tops</u>: Mancos Shale surface, Dakota Formation marker 405', Cedar Mountain Formation 507', Brushy Basin Member of Morrison Formation 634', Salt Wash Member of Morrison Formation 891', Entrada Formation 1238'.
- 2. <u>Estimated Depth at Which Oil, Gas, Water or Other Mineral Bearing Zones are Expected</u> to be Encountered:

Depth/Formation

Expected Oil Zones: 405'/Dakota, 634'/Brushy Basin, 1238'/Entrada
Expected Gas Zones: 405'/Dakota, 507'/Cedar Mtn, 891'/Salt Wash
Expected Water Zones: Layers in any pre-Mancos formation can be saline aquifers

Expected Mineral Zones: 405'/Dakota (possible thin coal beds)

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and will be cased and cemented. When possible, water flow rates will be measured and samples will be taken and analyzed with the results being submitted to BLM. All oil and gas shows will be tested to determine commercial potential. See Attachment A.

3. Pressure Control Equipment -include schematics of the BOP and choke manifold, and describe testing procedures: Double ram (pipe and blind) BOP with minimum working pressure rating of 2000 psi equipped with accumulator for remote operation and rotating head/diverter with minimum working pressure rating of 150 psi. BOP will be tested for ten minutes holding 1000 psi prior to drilling through surface casing shoe. See schematic diagram of typical equipment depicted by APD Attachment B

BOP systems will be consistent with API RP 53 and Onshore Oil and Gas Order No. 2 as allowed under the Greater Cisco Area variance dated May 14, 2003. Pressure tests of the surface casing and all BOP equipment potentially subject to pressure will be conducted before drilling the surface casing shoe. Blowout preventer controls will be installed prior to drilling the surface casing shoe and will remain in use until the well is completed or abandoned. Ram preventers shall be inspected and operated each trip (no

more than once a day is necessary), and annular preventers shall be inspected and operated weekly to ensure good mechanical working order. These inspections shall be recorded in the drilling log and in the daily drilling report.

- 4. <u>Casing Program and Auxiliary Equipment</u> -include casing size, weight, grade, thread and coupling, setting depth and condition (new or acceptably reconditioned): 120' new 7" J-55 ST&C 23 ppf (or better) surface casing. 1340' reconditioned 4.5" J-55 LT&C 10.5 ppf (or better) long string casing.
- 5. <u>Cement</u> -include the cement type, density, yield, additives and amount used in setting each casing string. Also include the anticipated cement fill-up. If stage cementing, describe techniques: Surface casing will be cemented to surface with an estimated 50 sacks (including 25% excess) of 15.6 ppg Class A slurry that yields 1.18 cubic feet per sack. The long string will be cemented from TD to 400' with 121 sacks (including 25% excess) of 15.6 ppg Class A slurry yielding 1.18 cubic feet per sack. Cello-flake will be added to control fluid loss.

Surface casing shall be cemented back to surface. Centralizers shall be run, at a minimum, on the bottom three joints of each casing string.

6. Mud Program and Circulating Medium -include mud components and weights. When air drilling, also include: length and location of blooie line; description of the auto ignitor; description of the deduster equipment; and amounts, types and characteristics of standby mud: Circulating medium will be compressed air with 4-6% KCl water solution injected into the air stream to form mist to stabilize the hole and control dust. Foaming agents will be used as needed to maintain circulation. Excessive fluid flows will be controlled by mixing KCl/gel/polymer mud as needed and the materials will be held on standby in Grand Junction, Colorado for such purposes. 100 bbls of water will be on the location for use as kill fluid. The blooie line will be constructed of 4" minimum diameter pipe that is at minimum 100' in length. The igniter will be a diesel fuel smudge pot.

Due to potential for contamination of usable quality water aquifers, chromates are banned from Federal leases.

Sufficient mud materials will be stored on location to maintain well control and combat lost circulation problems that might reasonably be expected.

7. <u>Coring, Logging and Testing Program</u>: No coring tests are planned, but open hole logging is planned.

Initial opening of drill stem test tools will be restricted to daylight hours.

- 8. Abnormal Conditions, Bottom Hole Pressures and Potential Hazards -include anticipated bottomhole pressure and/or pressure gradient. Also list anticipated lost circulation zones, abnormal temperature zones and possible hydrogen sulfide bearing zones: No abnormal temperature conditions or occurrences of hydrogen sulfide are known to exist in the Greater Cisco Field. Zones of lost circulation are not expected, and are unlikely to be recognized with the circulation system being used. The pressure gradient is normal to subnormal. Formation pressure through the depths and formations to be penetrated at this location will be no greater than 580 psi.
- 9. Any Other Aspects of this Proposal that should be Addressed: None.

B. THIRTEEN POINT SURFACE USE PLAN

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

1. Existing Roads:

- a. Proposed route to location is depicted by APD Attachment D.
- b. Location of well is 3/4 miles (+/-) West of Exit 214, see Attachment A & C.
- c. The Grand County Road Department will be made aware of the use of county roads required by this proposal.
- d. Plans for improvement and/or maintenance of existing roads: Will water roads if conditions warrant for control of fugitive dust or clear mud during wet conditions.

2. Planned Access Roads:

- a. Location (centerline): Well pad lies 2241 ft. to the East of the 30-6 well site.
- b. Length of new access to be constructed: 950 ft. (+/-) From the county road.
- c. No improvements needed on the county roads and Running Foxes Petroleum will maintain lease roads on an as-needed basis.
- d. Maximum total disturbed width: New roads to be constructed approximately 15 to 18 ft. wide for drilling. For production, the roads will be constructed, upgraded, and maintained with a width of 25 ft. or less.
- e. Maximum travel surface width: 14 to 18 feet.
- f. Maximum grades: Less than 6%
- g. Turnouts: Road intersections and well pads would be utilized for turnouts.
- h. Surface materials: Native soils. If the roads will be used by tanker trucks during wet, winter conditions, the road will be surfaced with rock materials.
- Drainage (crowning, ditching, culverts, etc): No drainage control will be provided during drilling. During production, water turnouts and/or roadside ditches will be utilized for drainage and erosion control.
- j. Cattleguards: None.
- k. Length of new and/or existing roads which lie outside the lease or unit boundary for which a BLM right-of-way is required: N/A.
- I. Other: N/A.

Surface disturbance and vehicular travel will be limited to the approved location and

access road. Any additional area needed must be approved by BLM in advance.

If a right-of-way is necessary, no surface disturbing activities shall take place on the subject right-of-way until the associated APD is approved.

If a right-of-way is secured, boundary adjustments in the lease or unit shall automatically amend this right-of-way to include that portion of the facility no longer contained within the lease or unit. In the event of an automatic amendment to this right-of-way grant, the prior on-lease/unit conditions of approval of this facility will not be affected even though they would now apply to facilities outside of the lease/unit as a result of a boundary adjustment. Rental fees, if appropriate shall be recalculated based on the conditions of this grant and the regulations in effect at the time of an automatic amendment.

If at any time the facilities located on public lands authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change) the BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental, or other financial obligations determined by the BLM.

If the well is productive, the access road will be rehabilitated or brought to Resource (Class III) Road Standards within 60 days of dismantling the rig. If upgraded, the access road must be maintained at these standards until the well is properly abandoned. If this time frame cannot be met, the Field Office Manager will be notified so that temporary drainage control can be installed along the access road.

3. <u>Location of Existing Wells</u> -on a map, show the location of all water, injection, disposal, producing and drilling wells within a one mile radius of the proposed well, and describe the status of each: APD Attachment C depicts the locations of wells near the location. Within a one mile radius there are 4 producing oil and/or gas wells. There are no water, injection or disposal wells operating in that area and there are no drilling wells.

4. Location of Production Facilities:

- a. On-site facilities: If production of oil and gas is established, the on-site facilities will include wellhead, 3-phase separator, production storage tank, water evaporation pit and gas meter with enclosure. See APD Attachment E for the layout of the on-site facilities.
- b. Off-site facilities: None.

All permanent (in place for six months or longer) structures constructed or installed (including oil well pump jacks) will be painted a flat, non-reflective color to match the standard environmental colors, as determined by the Rocky Mountain Five-State Interagency Committee. All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded. Colors will be as follows: Shades that match native soils in the area.

All site security guidelines identified in 43 CFR§3162.7-5 and Onshore Oil and Gas Order No. 3 shall be followed.

If a gas meter run is constructed, it will be located on lease within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and will be buried downstream of the meter until it leaves the pad. Meter runs will be housed and/or

fenced. The gas meter shall be calibrated prior to first sales and shall be calibrated quarterly thereafter. All gas production and measurement shall comply with the provisions of 43 CFR§3162.7, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.

If a tank battery is constructed on this lease, it will be surrounded by a berm of sufficient capacity to contain 1/2times the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All oil production and measurement shall conform to the provisions of 43 CFR§3162.7 and Onshore Oil and Gas Order No. 4.

Production facilities on location may include a lined or unlined produced water pit as specified in Onshore Oil and Gas Order No. 7. If water is produced from the well, an application in conformance with Order No. 7 must be submitted.

5. Location and Type of Water Supply:

All water needed for drilling purposes will be obtained from (describe location and/or show on a map): Commercial sources such as Ute Water in Mack, Colorado or the Thompson Special Service District in Thompson, Utah.

A temporary water use permit for this operation could be obtained from the Utah State Engineer in Price, Utah at (801) 637-1303 but will not be necessary.

Water obtained on private land, or land administered by another agency, will require approval from the owner or agency for use of the land.

6. Source of Construction Material:

Pad construction material will be obtained from (if the source is Federally owned, show location on a map): On site native soils and substrate.

The use of materials under BLM jurisdiction will conform to 43 CFR§3610.2-3.

Methods of Handling Waste Disposal:

Describe the methods and locations proposed for safe containment and disposal of waste material, e.g. cuttings, produced water, garbage, sewage, chemicals, etc.

The blooie and reserve pits will be constructed in Mancos Shale, a bentonite-rich aquitard.

The blooie pit will be located at least 100' from the wellhead, and the pit walls will be sloped at no greater than 1 to 1.

The blooie pit shall be located in cut material, with at least 50% of the pit volume being below original ground level. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. As soon as the reserve pit has dried, all areas not needed for production will be rehabilitated.

Trash must be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations.

8. Ancillary Facilities: Portable toilet.

9. <u>Well Site Layout</u> -depict the pit, rig, cut and fill, topsoil, etc. on a plat with a scale of at least 1"=50'. See APD Attachment F.

All wells, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR§3162.6.

Access to the well pad will be from the South as depicted by APD Attachments F.

The blooie line will be located at a 30 degree angle to the drilling rig, arranged in a straight path with its outlet at least 100 feet from the well head where a diesel smudge pot will serve as an automatic igniter. See APD Attachment F.

To minimize the amount of fugitive dust and spray escaping from the blooie pit, water will be injected into the compressed air stream used for the well circulation system and the blooie line effluent will be directed toward a high earth bank at the opposite end of the pit.

10. Plans for Restoration of the Surface:

The top two inches of topsoil material will be removed from the location and stockpiled separately on the margins of the location. See APD Attachment F.

Topsoil along the access road will be reserved in place adjacent to the road.

Immediately upon completion of drilling, all equipment that is not necessary for production shall be removed.

The reserve pit and that portion of the location not needed for production will be reclaimed.

Before any dirt work to restore the location takes place, the reserve pit must be completely dry.

All road surfacing will be removed prior to the rehabilitation of roads.

Reclaimed roads will have the berms and cuts reduced and will be closed to vehicle use.

All disturbed areas will be recontoured to replicate the natural slope.

The stockpiled topsoil will be evenly distributed over the disturbed area.

Prior to reseeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.

Seed will be broadcast or drilled between October 1 and December 15, or at a time specified by the BLM. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage.

The following seed mixture will be used: Indian Ricegrass 4 pounds per acre, Fourwing Saltbush 2 pounds per acre and Shadscale 2 pounds per acre.

The abandonment marker will be one of the following, as specified by BLM:

- 1) at least four feet above ground level,
- 2) at restored ground level, or
- 3) below ground level.

In any case the marker shall be inscribed with the following: operator name, lease number, well name and surveyed description (township, range, section and either quarter-quarter or footages).

Additional requirements: N/A.

11. Surface and Mineral Ownership: The surface and minerals are Federally owned.

12. Other Information:

 Archeological Concerns: Inventory will not be made of any resources in the disturbed area of the well site and upgraded road.

The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the BLM Field Office. Within five (5) working days, the BLM will inform the operator as to:

- whether the materials appear eligible for the National Register of Historic Places;
- the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
- a time frame for the BLM to complete an expedited review under 36 CFR§800.11 to confirm, through the State Historic Preservation Officer, that the findings of the BLM are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the BLM will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The BLM will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the BLM that the required mitigation has been completed, the operator will then be allowed to resume construction.

13. Lessee's or Operator's Representative and Certification

Representative:

Name: Neil D. Sharp

Title: Geologist

Address:

7060B S.Tucson Way

Centennial, Co. 80112

Phone No.:

(303) 617-7242

Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements make in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Running Foxes Petroleum, Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under BLM bond no. UTB-000207. This statement is subject to the provisions of 18 U.S.C.§ 1001 for the filing of a false statement.

Signature

Title

-8-

Running Foxes Petroleum, Inc. 7060B S. Tucson Way

Centennial, Colorado 80112

Managing Member: Greg Simonds (970) 361-6311 Consulting Geologist: Neil D. Sharp (303) 910-6751

Cisco 30-8-4 Drilling Plan

2195' fnl, 500' fel (SE SE NE) Sec. 30 Twp. 20S Rge. 24E, SLM, Grand County, Utah

Location access (Refer to Attachment C & F): From Exit 214 I-70 (wb), proceed north on Book Cliffs Road (paved) for 200 feet, turn left toward west on Danish Flat county road and proceed northwesterly for 3/10 mile. Take first left toward the south onto graded dirt road and proceed for about ¼ mile. Take first right hand turn and follow winding road to the west for about a ¼ mile. As you come down off the ridge you will see a flagged road on your right hand side. Turn onto this road and follow south to the proposed well site. Exit 214 is 49 miles northeast of Moab, UT via US 191, UT 128 and county road through Cisco, UT, 64 miles from Moab via US 191 and I-70, 47 miles west of Grand Junction, CO via I-70 and 153 miles from Vernal, UT via US 40 through Rangely, CO on CO 64, over Douglas Pass on CO 139 to Loma, CO and I-70.

Projected tops:	Mancos Shale	Surface	(Elevation GL 4481')
•	Dakota Fm marker	405'	Oil & natural gas (possible water)
	Cedar Mountain Fm	507'	Natural Gas (possible water)
	Morrison Fm		
	Brushy Basin Mbr	634'	Oil and Natural Gas
	Salt Wash Mbr	891'	Natural Gas
	Entrada Fm	1238'	Oil and Natural Gas
	TD	1340'	

Construction program:

- Air, mist and/or foam circulation using 5-7% KCl water injection below Dakota
- Minimum 1500 psi rated BOP with 500 psi rated diverter and 100' min. 4" blooie line to pit
- \$\times 11" hole to 120' below GL elevation to set 7" 23 ppf, J-55 (or better) surface casing with Class A cement circulated back to surface. Estimate 50 sacks (2.2 cubic yards) with slurry yield of 1.18 cubic feet per sack including 25% excess.
- ☆ 6 ½ "hole to 1350' below KB to set 4.5" 10.5 ppf, J-55 (or better) long string and cement with Class A slurry from TD to 400'. Estimate 121 sacks (5.3 cubic yards) with slurry yield of 1.18 cubic feet per sack including 25% excess.
- ☆ Run 2 3/8" tubing for completion testing

Operations will be conducted during daylight hours only except possibly upon reaching TD, running the long string and cementing same.


Casing decision will be made based upon drilled shows and no open-hole logs will be run.

Well will be killed with 5-7% KCl water or KCl/gel/polymer mud to run long string.

Depending upon circulation and gas/fluid influx conditions, a contingency plan to advance the hole with mud below the Cedar Mountain Fm will be in place.

Pressure control system for Greater Cisco Field Operations

In compliance with Greater Cisco Area variance from Onshore O&G Order No. 2 dated May 14, 2003 Not drawn to scale




Attachment B

Running Foxes Petroleum Cisco Springs Project **Grand County, Utah**



Cisco 30-8-4 S30 T20S R24E 2195' fnl & 500' fel, SE SE NE Elevation: 4481 ft. GL




Attachment D:

Please refer to Attachment C for route to proposed well site and location of pipelines in lease area.


Equipment Layout for Three Phase Production

Scale: 1"=50'





Drilling Operation Pad & Equipment Layout

Propetroco, Inc. Number 1 Rig or Equivalent Mobile Drilling Rig



♦ Well Head Scale: 1 inch=50 feet Gross possible disturbed area 170 x 270 feet Access roads typically 16 feet to 18 feet wide with maximum disturbed width 25 feet






APPROXIMATE YARDAGES

TOTAL CUT = 0 Cu. Yds. TOTAL FILL = 115 Cu. Yds.

Prepared for: RUNNING FOXES PETROLEUM INC., 7060B S. Tucson Way, Centennial, CO 80112



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PROPOSED FROM FIELD HOTES OF ACTIVAL SLAVINGS MUTTERY ME. OR LINDER MY SUPERWISION AND THAT THE SALE ARE TRUE AND CORRECT TO THE BEST OF MY REMAINEDGE AND RELEF.






UDELLS. WILLIAMS


Professional Land Surveyor
449 E. Soeak Dr. (970) 254-0157
Grand Junction, Colorado 81503-1569

TYPICAL CROSS SECTIONS FOR CISCO 30-8-4

SECTION 30, T20S, R24E, SLB&M 2195 FNL 500 FEL

SUPPLEYED BY:	USW	DATE	12/15/2006
	USW	DATE	12/29/2006
DRAWN BY:		4,411	750






APPROXIMATE YARDAGES

TOTAL CUT = 682 Cu. Yds. TOTAL FILL = 0 Cu. Yds.

Prepared for: RUNNING FOXES PETROLEUM INC., 7060B S. Tucson Way, Centennial, CO 80112



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABONE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MUDE BY ME OR UNDER MY SUPERMISION AND THAT THE SAME ARE TIME AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.





UDELL S. WILLIAMS

Professional Land Surveyor
449 E. Scenic Dr. (\$70) 254-0157
Grand Junction, Colorado \$1503-1569
Bengang Wastern Colorado & Essim Utas Since 1555
Bengang Wastern Colorado & Essim Utas Since 1555


TYPICAL CROSS SECTIONS FOR CISCO 30-8-4

SECTION 30, T20S, R24E, SLB&M 2195' FNL 500' FEL

SLEWEYED BY:	USW	DATE	12/15/2006
DRAWN BY:	USW	DATE	12/29/2006

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 02/02/2007	API NO. ASSIGNED: 43-019-31529
WELL NAME: CISCO 30-8-4 OPERATOR: RUNNING FOXES (N2195) CONTACT: NEIL SHARP	PHONE NUMBER: 720-889-0510
PROPOSED LOCATION: SENE 30 200S 240E SURFACE: 2195 FNL 0500 FEL BOTTOM: 2195 FNL 0500 FEL COUNTY: GRAND LATITUDE: 39.03902 LONGITUDE: -109.2959 UTM SURF EASTINGS: 647486 NORTHINGS: 43222 FIELD NAME: GREATER CISCO (205)	
LEASE NUMBER: UTU-27403 SURFACE OWNER: 1 - Federal	PROPOSED FORMATION: ENRD COALBED METHANE WELL? NO
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTB 000207) Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. MUNICIPAL) RDCC Review (Y/N) (Date:) Fee Surf Agreement (Y/N) Intent to Commingle (Y/N)	LOCATION AND SITING: R649-2-3. Unit:R649-3-2. General
STIPULATIONS:	





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

> JOHN R. BAZA Division Director

JON M. HUNTSMAN, JR. Governor

> GARY R. HERBERT Lieutenant Governor

> > February 12, 2007

Running Foxes Petroleum, Inc. 7060B S. Tucson Way Centennial, CO 80112

Re:

Cisco 30-8-4 Well, 2195' FNL, 500' FEL, SE NE, Sec. 30, T. 20 South,

R. 24 East, Grand County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-019-31529.

Sincerely,

Gil Hunt

Associate Director

pab **Enclosures**

cc:

Grand County Assessor

Bureau of Land Management, Moab District Office

Operator:	etroleum, Inc.		
Well Name & Number	Cisco 30-8-4		
API Number:	43-019-31529 UTU-27403		
Location: SE NE	Sec. 30	T. 20 South	R. 24 East_

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

Form 3160-3 (February 2005)			POENC ENT MOA FONDING I O Expires Marc	
UNITED STATES DEPARTMENT OF THE IN BUREAU OF LAND MANA	NTERIOR AGEMENT		2 011-17493 - 2	лтио <i>ячиз</i> Р 3: 21
APPLICATION FOR PERMIT TO E			6. If Indian, Allotee or	Tribe Name
la. Type of work: DRILL REENTE	R		7 If Unit or CA Agreem	ent, Name and No.
lb. Type of Well: Oil Well Gas Well Other	✓ Single Zone Multipl	le Zone	8. Lease Name and We Cisco 30-8-4	li No.
2. Name of Operator Running Foxes Petroleum, Inc.			9. API Well No. 43-019-0	31529
3a. Address 7060 B South Tucson Way Centennial, CO 80112	3b. Phone No. (include area code) 720-889-0510		10. Field and Pool, or Ex Greater Cisco	
4. Location of Well (Report location clearly and in accordance with any At surface 2195' fnl & 500' fel SE SE NE At proposed prod. zone Same as above	v State requirements.*)		11. Sec., T. R. M. or Blk. S30 T20S R24E	and Survey or Area
14. Distance in miles and direction from nearest town or post office* 7 miles Northeast of Cisco, Utah			12. County or Parish Grand	13. State UT
 Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 	16. No. of acres in lease 599.52 Acres	40 Ac	g Unit dedicated to this we res BIA Bond No. on file	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 2241 ft.	19. Proposed Depth 1340 ft.	l	000207	
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4481' GL	22. Approximate date work will star 03/01/2007	nt*	23. Estimated duration 21 days	
	24. Attachments	ttached to the	EFG.	
 The following, completed in accordance with the requirements of Onshor Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office). 	4. Bond to cover t Item 20 above). Lands the 5. Operator certific	he operation	ns unless covered by an e	
25. Signature	Name (Printed/Typed) Neil D. Sharp			Date 01/31/200
Title Geologist				
Approved by (Signature) /5/ % Epina Jackson	Name (Printed Typed)	Jäckson		Date 5/4/13
Title Assistant Field Manager,		L CLASS	f Resources d Office	
Application approval does not warrant or certify that the applicant hold conduct operations thereon. Conditions of approval, if any, are attached.	ds legal or equitable title to those rig	hts in the sul	bject lease which would e	ntitle the applicant to
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a	crime for any person knowingly and	willfully to 1	make to any department o	r agency of the United


CONDITIONS OF APPROVAL ATTACHED

RECEIVED

MAY 0 9 2007

^{*(}Instructions on page 2)

Attachment 6




CISCO 30-8-4-

SCALE: 1" + 1000

LOCATED 2195 FEET FNL AND 500 FEET FEL IN SECTION 30, T20S, R24E, SLB&M. GRAND COUNTY, UTAH

PREPARED FOR: RUNNING FOXES PETROLEUM INC., 7060B S. TUCSON WAY, CENTENNIAL, COLORADO 80112



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED INS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



1000



1000

UDELL S. WILLIAMS

Professional Land Surveyor 449 E. Scenic Dr. (970) 254-0157 Grand Junction, Colorado 81503-1569 veyery Western Cobrado & Eastern Utah Scice 1953

39° 02' 20.5" N.

LONG. 109° 17' 42" W.

LAT.

PLAT OF PROPOSED LOCATION

CISCO 30-8-4

SESENE SECTION 30 T20S, R24E, SLB&M

USW DATE: 12/14/2006 SURVEYED BY: 12/18/2006 USW DATE: DRAWN BY:

OK (inchanges) BM 4/6/07

Running Foxes Petroleum, Inc. Well No. Cisco 30-8-4 Lease UTU-027403 SE/NE Section 30, T20S, R24E Grand County, Utah

A COMPLETE COPY OF THIS APPROVED PERMIT and Conditions of Approval shall be maintained on location during all construction and drilling operations, and shall be available to contractors to ensure compliance.

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Running Foxes Petroleum, Inc. is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by BLM bond no. **UTB000207** (Principal – Running Foxes Petroleum, Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application must be filed for approval.

All lease operations will be conducted in full compliance with applicable regulations (43 CFR 3100), Onshore Oil and Gas Orders, lease terms, notices to lessees, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. Failure to comply with the provisions of this permit, including applicable regulations, stipulations, and/or approval conditions, will be considered a violation subject to the enforcement provisions of 43 CFR Subpart 3163.

A. DRILLING PROGRAM

- 1. The proposed 2M BOPE with a modified choke manifold (bleed line) is adequate for anticipated conditions. Installation, testing and operation of the system shall be in conformance with Onshore Oil and Gas Order No. 2. Testing the BOP to a pressure of 1500 psi is adequate.
- Concurrent approval from the State of Utah, Division of Oil, Gas & Mining (DOGM) is required before conducting any surface disturbing activities.
- 3. Drilling reports, which describe the activities of each day, shall be submitted to the BLM Moab Field Office on a weekly, or more frequent, basis. In addition to a daily summary of activities, drilling reports shall include the drilling fluid weight, details of casing and cement, water flows, lost circulation zones and any other information that would contribute to the understanding of drilling conditions.
- 4. Reconditioned casing must be tested and verified to have wall thickness of at least 87.5% of the nominal thickness of new casing.
- 5. The requirements for air drilling, found in Onshore Oil and Gas Order No. 2, part III, E (Special Drilling Operations), shall be followed.
- 6. The cement height behind the production casing shall be designed to reach a minimum of 100 feet above the top of the Dakota Sandstone to ensure adequate isolation of that hydrocarbon bearing zone.

B. SURFACE USE PLAN

1. In order to protect nesting raptors, no road/well pad construction or drilling operations will be authorized between March 1 and August 31. The limitation does not apply to maintenance and operation of producing wells. Exceptions to this limitation may be specified in writing by the Moab Field Office, and exceptions will require nesting raptor surveys completed by a biological contractor.

Burrowing owl nests identified during nesting raptor surveys will be avoided by a 1/4 mile buffer and other raptor nest sites will be avoided by a 1/2 mile buffer.

Note: WestWater Engineering completed a nesting raptor survey of the project area during April, 2007. No nesting raptors were identified near the proposed wells. Based on the survey and report from WestWater Engineering, an exception to the Condition of Approval for nesting raptors will be granted through February 28, 2008.

2. In order to protect pronghorn antelope during the fawning period, no road/well pad construction or drilling operations will be authorized between May 1 and June 15. The limitation does not apply to maintenance and operation of producing wells. Exceptions to this limitation may be specified in writing by the Moab Field Office.

Note: An exception to the Condition of Approval for the pronghorn antelope fawning period will be granted during May and June, 2007.

- 3. The new road constructed to access the well will be constructed and maintained to BLM Resource Road standards (from *The Gold Book*). Prior to drilling operations, the new road constructed to access the well will be surfaced with rock materials.
- Dust control will be provided during construction and drilling operations by spraying fresh water on new road construction, roads being maintained, and the well pad.
- 5. The operator will be responsible for weed control on the disturbed areas within the limits of the well pad and road construction. The operator will be responsible for consultation with the authorized officer and/or local authorities for acceptable weed control methods.
- 6. The operator shall maintain the existing roads in a safe, usable condition, as directed by the Moab Field Office and Grand County Road Department. The maintenance program shall include, but is not limited to, blading, ditching, installing culverts, and if needed, surfacing the road with rock materials. The operator shall conduct all activities associated with the Grand County roads within the existing surface disturbances of the maintained roads. The operator shall repair all damages to the county roads resulting from traffic associated with constructing, drilling, and producing the well.

C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

<u>Building Location</u>- Contact the Moab Field Office, Natural Resource Protection Specialist at least 48-hours prior to commencing construction of location.

<u>Spud</u>- The spud date will be reported to BLM 24-hours prior to spudding. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted to the Moab Field Office within 24-hours after spudding, regardless of whether spud was made with a dry hole digger or big rig.

<u>Daily Drilling Reports</u>- Daily drilling reports shall detail the progress and status of the well and shall be submitted to the Moab Field Office on a weekly basis.

Oil and Gas Operations Reports (OGORs)- Production from this well shall be reported to Minerals Management Service (MMS) on a monthly basis.

<u>Sundry Notices</u>- There will be no deviation from the proposed drilling and/or workover program without prior approval. "Sundry Notices and Reports on Wells" (Form 3160-5) will be filed with the Moab Field Office for approval of all changes of plans and subsequent operations in accordance with 43 CFR 3162.3-2. Safe drilling and operating practices must be observed.

<u>Drilling Suspensions</u>- Operations authorized by this permit shall not be suspended for more than 30 days without prior approval of the Moab Field Office. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

<u>Undesirable Events</u>- Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the BLM in accordance with requirements of NTL-3A.

<u>Cultural Resources</u>- If cultural resources are discovered during construction, work that might disturb the resources is to stop, and the Moab Field Office is to be notified.

<u>First Production</u>- Should the well be successfully completed for production, the Moab Field Office will be notified when the well is placed in producing status. Such notification may be made by phone, but must be followed by a sundry notice or letter not later than five business days following the date on which the well is placed into production.

A first production conference will be scheduled as soon as the productivity of the well is apparent. This conference should be coordinated through the Moab Field Office. The Moab Field Office shall be notified prior to the first sale.

Well Completion Report- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted to the Moab Field Office not later than thirty-days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. When requested, samples (cuttings and/or samples) will be submitted to the Moab Field Office.

<u>Venting/Flaring of Gas</u>- Gas produced from this well may not be vented/flared beyond an initial, authorized test period of 30 days or 50 MMcf, whichever first occurs, without the prior, written approval of the Moab Field Office. Should gas be vented or flared without approval beyond the authorized test period, the well may be ordered shut-in until the gas can be captured or approval to continue the venting/flaring as uneconomic is granted. In such case, compensation to the lessor (BLM) shall be required for that portion of the gas that is vented/flared without approval and which is determined to have been avoidably lost.

<u>Produced Water-</u> An application for approval of a permanent disposal method and location will be submitted to the Moab Field Office for approval pursuant to Onshore Oil and Gas Order No.7.

Off-Lease Measurement, Storage, Commingling- Prior approval must be obtained from the Moab Field Office for off-lease measurement, off-lease storage and/or commingling (either down-hole or at the surface).

<u>Plugging and Abandonment</u>- If the well is completed as a dry hole, plugging instructions must be obtained from the Moab Field Office prior to initiating plugging operations.

A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the Moab Field Office within thirty-days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Moab Field Office or the appropriate surface managing agency.

TABLE 1

NOTIFICATIONS

Notify Rich McClure (435-259-2127) or Jack Johnson (435-259-2129) of the BLM Moab Field Office for the following:

- 2 days prior to commencement of dirt work, construction and reclamation (McClure);
- 1 day prior to spud (Johnson);
- 50 feet prior to reaching the surface casing setting depth (Johnson);
- 3 hours prior to testing BOPs (Johnson).

If the people at the above numbers cannot be reached, notify the Moab Field Office at 435-259-2100. If unsuccessful, contact the person listed below.

Well abandonment operations require 24 hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained by calling the Moab Field Office at 435-259-2100. If approval is needed after work hours, you may contact the following:

Eric Jones, Petroleum Engineer

Office: 435-259-2117 Home: 435-259-2214

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: Running Foxes Petrole	ım, Inc
Well Name: Cisco 30-8-4	F
API No <u>: 43-019-31529</u>	Lease Type: Federal
Section 30 Township 20S Range 241	E_County_Grand
Drilling Contractor Major Drilling	Rig #
SPUDDED:	
Date <u>6-11-07</u>	
Time 12:00 PM	
How_Dry	
Drilling will Commence:	
Reported by Neil Sharp	
Telephone #_720-889-0510	
Date 6-13-07	Signed RM

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM

Operator:

Running Foxes Petroleum, Inc.

Operator Account Number: N 2195

Address:

7060 B South Tucson Way

city Centennial

zip 80112 state CO

Phone Number: (720) 889-0510

Well 1

ntity New Entity	SENE	30	208	24E	Grand
ntity New Entity		SAC			
Current Entity New Entity Number Number		Spud Date		Entity Assignment Effective Date	
9 16205	6-1	1- ZO	<i>v</i> 7	6,	121/07

API Number	Well Name			QQ Sec Twp			Rng County	
Action Code	Current Entity New Entity Number Number		Spud Date		Entity Assignment Effective Date			

Well 3

API Number	Well Name			Sec	Twp	Rng	County	
Action Code	Current Entity Number				G	Entity Assignment Effective Date		
Comments:			<u> </u>					

ACTION CODES:

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section)

RECEIVED

JUN 1 8 2007

KentKeppel

Name (Please Print)

Signature

Landman

Title

(5/2000)

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007 5. Lease Serial No.

UTU-27403

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160 - 3 (APD) for such proposals.

6. If Indian, Allottee or Tribe Name

		,	•			
SUBMIT IN TR	IPLICATE- Other inst	ructions on rever	se side.	7. If Unit or	CA/Agreement, Name and/or No.	
1. Type of Well Oil Well	Gas Well Other			8. Well Nan		
2. Name of Operator Running Fox	es Petroleum			Cisco 30		
3a Address 7060 B South Tucson Way	Centennial, CO 80112	3b. Phone No. (include 720-889-0510	area code)	43-019-31529 10. Field and Pool, or Exploratory Area		
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description)			Greater	Cisco	
2195' fnl & 500' fel SE SE NE S30 T20S R24E	PPROPRIATE BOX(ES) TO	DINIDICATE NATUR	DE OF MAINTE DI	Grand (COLUED DATA	
12. CHECK A	PPROPRIATE BOX(ES) TO		E OF NOIRE, K	eroni, on	OTHER DATA	
TYPE OF SUBMISSION	•	TYI	PE OF ACTION			
Notice of Intent ✓ Subsequent Report	Acidize Alter Casing Casing Repair	Deepen Fracture Treat New Construction	Production (Statement Reclamation Recomplete	rt/Resume)	Water Shut-Off Well Integrity Other	
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	Temporarily Ab Water Disposal	andon	Well Information	
Describe Proposed or Complete If the proposal is to deepen dire	ted Operation (clearly state all pert ectionally or recomplete horizontal	inent details, including esti lly, give subsurface location	mated starting date of an	y proposed wo e vertical depth	rk and approximate duration thereof. s of all pertinent markers and zones.	

Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Spud Date: June 11, 2007 Completion Date: June 14, 2007 Elevation: 4481 ft. GL 4488.5 ft. KB Total Depth: 909' GL (Brushy Basin) PBTD: 670' GL (Brushy Basin)

Surface Casing (24#/J55): 8 5/8 inch x 122 ft. (63 sacks; Type III Cement) Production Casing (10.5#/J55): 4.5 inch x 670 ft. (57 sacks; Type III Cement)

*This well has not been tested. Well will be tested upon completion of the Running Foxes Petroleum Tap into the Northwest Pipeline. A full well completion report will be submitted once the well's final status is determined.

> RECEIVED SEP 1 3 2007

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)			DIV. OF OIL, GAS & MINING
Neil D. Sharp	Title	Geologist	
Signature Ald M. Change	Date	09/11/07	
THIS SPACE FOR FEDERAL	OR S	STATE OFFICE US	E
Approved by		Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject lea which would entitle the applicant to conduct operations thereon.		Office	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any	person l	knowingly and willfully to mal	ke to any department or agency of the United


States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Daily Drilling Report

Operator:	Runing Foxes Petroleum	Location:	SE SE I	VE	Coord.:	2195' fnl 8	500' fel	
Well Name:	Cisco 30-8-4	County:	Grand	State: Utah	Sec.	30		
Project Area:	Cisco Springs	API #:	43-019	-315-29-00-00	Twp:	20S		
Spud Date:	11-Jun-07				Rge:	24E		
Field:	Greater Cisco	Logging Ge	ologist:	N. Sharp/A. Rodpotong	GL Elev:	4481 ft.	KB:	4488.5'
Drilling Contr:	Major Drilling America			Toolpusher:	Larry Th	noren		
Surf. Casing:	8 5/8 inch	Set @:	122 ft.	Cement Date:				
Surf. Bit:	12 1/4 inch	Out @:	125 ft.	Hole size:	6 5/8 in	ch		
Bit #1:	6 5/8 inch Hammer Bit	In @:	122 ft.	Drilling fluid:	Air			
Bit #2:		In @:		Mud Pumps:	n/a			
Bit #3:		In @:						

Da	te	Start	Depth	End I	Depth	Ft. Dr	rilled
6/12	2/07	125	ft.	238.	.5 ft.	113.	5 ft.
			OPERAT	TIONS			
						casing run and just before mid	
Time	Depth	Bit Weight	Pump PSI	Pump SPM	Table RPM	Mud Weight	Viscosity
/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Mud/Chemical n/a	s Mixed:						

Formation Entered	Depth	Units Gas	Core Run	From	То	Recover
Mancos	Surface	7	n/a	n/a	n/a	n/a
	No. of the					
	The second					
			Desorption	n Samples	From	То
			n/a		n/a	n/a
AND SOME STREET						
	Mineral					
OIL SHOWS			DESC	RIPTION		
n/a	n/a					



Comments

Driling was deled due to issues w/the surface casing & BOP test.

Daily Drilling Report

Operator:	Runing Foxes Petroleum	Location:	SE SE I	NE	Coord.:	2195' fnl 8	k 500' fel	
Well Name:	Cisco 30-8-4	County:	Grand	State: Utah	Sec.	30		
Project Area:	Cisco Springs	API #:	43-019	-315-29-00-00	Twp:	20S		
Spud Date:	11-Jun-07		AL LEYER		Rge:	24E		
Field:	Greater Cisco	Logging Ge	ologist:	N. Sharp/A. Rodpotong	GL Elev:	4481 ft.	KB:_	4488.5'
Drilling Contr:	Major Drilling America			Toolpusher:	Larry Th	oren		
Surf. Casing:	8 5/8 inch	Set @:	122 ft.	Cement Date:				
Surf. Bit:	12 1/4 inch	Out @:	125 ft.	Hole size:	6 5/8 inc	ch	Marie Barrier	
Bit #1:	6 5/8 inch Hammer Bit	In @:	122 ft.	Drilling fluid:	Air			
Bit #2:		In @:		Mud Pumps:	n/a			
Bit #3:		In @:						

6/13/07			Depth	Enat	Depth	Ft. Dr	illed
		238.	5 ft.	632	2 ft.	393.	5 ft.
			OPERA"	TIONS			
10 ft. sample increme w/light water. The rig 2 interval. A compan compressor has been	g is cur y mech	rently down du anic has been	e to compre sent down fr	ssor problems	and we are o	currently just ab	ove the Jmb
Time De	epth	Bit Weight	Pump PSI	Pump SPM	Table RPM	Mud Weight	Viscosity
n/a r	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	1:						

0 0				То	Recover
Surface	7	n/a	n/a	n/a	n/a
	8				
428 ft.	6				
440 ft.	4				
472 ft.	720				
506 ft.	549				
632 ft.	279				
		Desorption	Samples	From	То
		n/a		n/a	n/a
	THE PARTY				
		DESC	RIPTION		
n/a					
					7 TO 10 TO 10
					Ref W
					Terrent of
		Market Land			
	472 ft. 506 ft. 632 ft.	428 ft. 6 440 ft. 4 472 ft. 720 506 ft. 549 632 ft. 279	402 ft. 8 428 ft. 6 440 ft. 4 472 ft. 720 506 ft. 549 632 ft. 279 Desorption n/a	402 ft. 8 428 ft. 6 440 ft. 4 472 ft. 720 506 ft. 549 632 ft. 279 Description Samples n/a DESCRIPTION	402 ft. 8

There was a large hole discovered in the air trap line. This might have retarded the gas show recorded by the gas detector. Once the hole was fixed the gas detector recorded a 5000 to 6000 unit show. This fluctuated, but since drilling has been postponed it is not known how long the show will last.

Daily Drilling Report

Operator:	Runing Foxes Petroleum	Location:	SE SE I	NE	Coord.:	2195' fnl 8	k 500' fel	
Well Name:	Cisco 30-8-4	County:	Grand	State: Utah	Sec.	30		
Project Area:	Cisco Springs	API #:	43-019	-315-29-00-00	Twp:	20S		
Spud Date:	11-Jun-07				Rge:	24E		
Field:	Greater Cisco	Logging Ge	ologist:	N. Sharp/A. Rodpotong	GL Elev:	4481 ft.	KB:_	4488.5'
Drilling Contr:	Major Drilling America			Toolpusher:	Larry Th	oren		
Surf. Casing:	8 5/8 inch	Set @:	122 ft.	Cement Date:	14-Jun-(07		
Surf. Bit:	12 1/4 inch	Out @:	125 ft.	Hole size:	6 5/8 in	ch		
Bit #1:	6 5/8 inch Hammer Bit	In @:	122 ft.	Drilling fluid:	Air			
Bit #2:		In @:		Mud Pumps:	n/a			
Bit #3:		In @:						

Da	te	Start	Depth	End I	Depth	Ft. Dr	illed
6/14	/07	632	? ft.	907	7 ft.	275	ft.
			OPERAT	TIONS			
amounts of sa Casing was ru	alt water. The	well was logge nd cemented in	d by Phoenix by BJ Servi	Surveys (Der ces (8:30 pm)	nisty & Induct	channel was pro ion) at 1 pm. P s of Type III cer	roduction
Time	Depth	Bit Weight	Pump PSI	Pump SPM	Table RPM	Mud Weight	Viscosity
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
					Ole Heller		
TO THE STATE OF							
	s Mixed:						
Mud/Chemical							

Formation Entered	Depth	Units Gas	Core Run	From	То	Recover
Mancos	Surface	7	n/a	n/a	n/a	n/a
B1	402 ft.	8				
Kd1	428 ft.	6				
Kd2	440 ft.	4				
Kd3	472 ft.	720				
Kcm	506 ft.	549				
Jmbb	632 ft.	279				
Jmbb 1	700 ft.	247				
				RESERVE .		
		100 To 30 To				
			Desorptio	n Samples	From	То
			n/a		n/a	n/a
	REDUING:					
	The second second					
THE PARTY OF THE PARTY OF						
					Company of the Compan	
OIL SHOWS			DESC	RIPTION		
n/a	n/a					
CHARLES IN COLUMN TO SERVICE AND ADDRESS OF THE PARTY OF						
THE PARTY OF THE P						



Comments

Both compressors have been repaired and should be operational for the next well.

NOTICE

Utah Oil and Gas Conservation General Rule R649-3-21 states that.

- A well is considered completed when the well has been adequately worked to be capable of producing oil or gas or when well testing as required by the division is concluded.
- ➤ Within 30 days after the completion or plugging of a well, the following shall be filed:
 - Form 8. Well Completion or Recompletion Report and Log
 - · A copy of electric and radioactivity logs, if run
 - · A copy of drillstem test reports,
 - A copy of formation water analyses, porosity, permeability or fluid saturation determinations
 - · A copy of core analyses, and lithologic logs or sample descriptions if compiled
 - A copy of directional, deviation, and/or measurement-while-drilling survey for each horizontal well

Failure to submit reports in a timely manner will result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

As of the mailing of this notice, the division has not received the required reports for

Operator: Running Foxes Petroleum, Inc Today's Date: 11/27/2007

Well:		API Number:	Drilling Commenced:
Cisco 1-11-4	drlg rpts/wcr	4301931499	05/31/2007
Cisco 30-9-4	drlg rpts/wcr	4301931530	06/06/2007
Cisco 30-8-4	drlg rpts/wcr	4301931529	06/11/2007
Cisco 10-13-1	drlg rpts/wcr	4301931500	06/14/2007
Cisco 30-1-4	drig rpts/wcr	4301931528	06/15/2007
Cisco 4-12-3	drlg rpts/wcr	4301931515	06/18/2007
Cisco 4-5-3	drlg rpts/wcr	4301931516	07/01/2007
Cisco 30-15-4	drlg rpts/wcr	4301931533	07/15/2007

To avoid compliance action, required reports should be mailed within 7 business days to:

Utah Division of Oil, Gas and Mining

1594 West North Temple, Suite 1210

P.O. Box 145801

Salt Lake City, Utah 84114-5801

If you have questions or concerns regarding this matter, please call (801) 538-5284.

cc: V/ell File Compliance File

FORM 9

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:

			UTU 27403		
SUNDRY	NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill n	new wells, significantly deepen existing wells below current botton aterals. Use APPLICATION FOR PERMIT TO DRILL form for su	n-hole depth, reenter plugged wells, or to	7. UNIT or CA AGREEMENT NAME:		
1 TYPE OF WELL	8. WELL NAME and NUMBER:				
OIL WELL	Cisco 30-8-4				
2. NAME OF OPERATOR:	- 1		9. API NUMBER:		
Running Foxes Petroleum 3. ADDRESS OF OPERATOR:	1, Inc.	PHONE NUMBER:	4301931529 10. FIELD AND POOL, OR WILDCAT:		
	Centennial STATE CO ZIP 80112		Greater Cisco		
4. LOCATION OF WELL					
FOOTAGES AT SURFACE: 2195' I	FNL & 500' FEL		COUNTY: Grand		
QTR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN: SENE 30 20S 24E		STATE: UTAH		
11. CHECK APPE	ROPRIATE BOXES TO INDICATE NA	TURE OF NOTICE, REPO	ORT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
NOTICE OF INTENT	ACIDIZE	EEPEN	REPERFORATE CURRENT FORMATION		
(Submit in Duplicate)	ALTER CASING F	RACTURE TREAT	SIDETRACK TO REPAIR WELL		
Approximate date work will start:	CASING REPAIR N				
	CHANGE TO PREVIOUS PLANS	PERATOR CHANGE	TUBING REPAIR		
	CHANGE TUBING P	LUG AND ABANDON	VENT OR FLARE		
SUBSEQUENT REPORT	CHANGE WELL NAME	LUG BACK	WATER DISPOSAL		
(Submit Original Form Only)	CHANGE WELL STATUS	RODUCTION (START/RESUME)	WATER SHUT-OFF		
Date of work completion:	COMMINGLE PRODUCING FORMATIONS R	ECLAMATION OF WELL SITE	✓ other: Well Status		
		ECOMPLETE - DIFFERENT FORMATION	<u> </u>		
40 DECORUE PROPOSED OF 00					
	OMPLETED OPERATIONS. Clearly show all pertinent	-	les, etc.		
THIS WELL IS NOT PRO	DUCING AND IS SHUT-IN UNTIL FUR	THER NOTICE.			
NAME (PLEASE PRINT) Kent Kepp	oel .	_{тітье} Landman	<u>u-,, 1,, 1,44 - 1,45 -</u>		
Tint	Travel	12/3/2007			
SIGNATURE	- / 7/1 (DATE			

(This space for State use only)

RECEIVED

DEC 0 4 2007

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL. GAS AND MINING



FORM 9


(This space for State use only)	TECENED
SIGNATURE FINT FIGURE DATE 12/1	3/2007
NAME (PLEASE PRINT) Kent Keppel	d Manager
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including date	es, depths, volumes, etc.
CONVERT WELL TYPE RECOMPLETE - DIFFER	
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/	<u> </u>
SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL NAME PLUG BACK CHANGE WELL STATUS	WATER DISPOSAL
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TEMPORARILY ABANDON TUBING REPAIR
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
NOTICE OF INTENT ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION
TYPE OF SUBMISSION TYPE OF AUTOR OF NO	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NO	TICE REDORT OF OTHER DATA
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 30 20S 24E	STATE:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2195' FNL & 500' FEL SE SE NE	COUNTY: Grand
7060B South Tucson Way CITY Cetennial STATE CO ZIP 80112 (720)	889-0510 Greater Cisco
Running Foxes Petroleum, Inc. 3. ADDRESS OF OPERATOR: PHONE NU.	4301931529 JMBER: 10. FIELD AND POOL, OR WILDCAT:
2. NAME OF OPERATOR:	Cisco 30-8-4 9. API NUMBER:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	WELL NAME and NUMBER;
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter p	7. UNIT or CA AGREEMENT NAME:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
DIVISION OF OIL, GAS AND MINING	UTU 27403

RECEIVED

DEC 1 4 2007

5. LEASE DESIGNATION AND SERIAL NUMBER:

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES



DIVISION OF OIL, GAS AND MINING

			UTU 27403		
	SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do	not use this form for proposals to drill n drill horizontal la	ow wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to terals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:		
	YPE OF WELL OIL WELL	GAS WELL 🗸 OTHER	8. WELL NAME and NUMBER: Cisco 30-8-4		
	IAME OF OPERATOR:	9. API NUMBER:			
	unning Foxes Petroleum	4301931529 10. FIELD AND POOL, OR WILDCAT:			
	60 B South Tucson Way	Centennial STATE CO ZIP 80112 PHONE NUMBER: (720) 889-0510	Greater Cisco		
	OCATION OF WELL	<u> </u>			
F	OOTAGES AT SURFACE: 2195'	FNL & 500' FEL SE SE NE	COUNTY: Grand		
c	TR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN: 30 20S 24E	STATE: UTAH		
11.	CHECK APP	ROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA		
	TYPE OF SUBMISSION	TYPE OF ACTION			
	NOTICE OF INTENT	ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION		
	(Submit in Duplicate)	ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL		
	Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON		
		CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR		
		CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE		
	SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL		
	Date of work completion:	CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF		
		COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: Well Status		
		CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION			
12.	DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	es, etc.		
Th	nis well is not producina	and is shut-in until further notice.			
		and to order in arian larator floatoo.			
NAM	E (PLEASE PRINT) Kent Kepp	el _{Tifle} Landman			
1 TOUR	2(122302111111)				
SIGN	NATURE full	5 fypel DATE 1/11/2008			

(This space for State use only)

RECEIVED JAN 1 4 2008

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

	9	1			A	P. Control	Mary Complete	ACRES - SAME TO	一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一	To a series	F	OR
				ſ	7	5. I	LE	Α	S	ĔΙ	DESIGNATION AND SERIAL NUMB	BER:
				ı		П	Т	1	ı	2	7403	

FORM 9

					010 27400			
	SUNDRY	NOTICES AND REPORT	S ON WEL	LS	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME:		
Do r	not use this form for proposals to drill i drill horizontal l	new wells, significantly deepen existing wells below cu aterals. Use APPLICATION FOR PERMIT TO DRILL	urrent bottom-hole de form for such propos	oth, reenter plugged wells, or to	7. UNIT or CA AGREEN	MENT NAME:		
1. TY	PE OF WELL	· · · · · · · · · · · · · · · · · · ·			8. WELL NAME and NU	MBER:		
	OIL WELL	GAS WELL OTHER		······································	Cisco 30-8-4	Cisco 30-8-4		
	AME OF OPERATOR:				9. API NUMBER:			
Ru	inning Foxes Petroleum	n, Inc.			4301931529			
	ODRESS OF OPERATOR:	10. FIELD AND POOL,						
	60 B South Tucson Way	y Centennial STATE CO ZIF	₅ 80112	(720) 889-0510	Greater Cisco			
	OCATION OF WELL							
FC	DOTAGES AT SURFACE: 2195	FNL & 500' FEL SE SE NE		the growth of the second	COUNTY: Grand			
		i podpista i kolo i 1920. m na 1920. d	E.s.i					
Q	TR/QTR, SECTION, TOWNSHIP, RAI	IGE, MERIDIAN: 30 20S 2	24E		STATE:	UTAH		
11.	CHECK APP	ROPRIATE BOXES TO INDICA	TE NATURE	OF NOTICE, REPO	ORT, OR OTHER	DATA		
-	TYPE OF SUBMISSION		Т	YPE OF ACTION				
$\overline{\Box}$	NOTICE OF INTENE	ACIDIZE	DEEPEN		REPERFORATI	E CURRENT FORMATION		
ليا	NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO	O REPAIR WELL		
	Approximate date work will start:	CASING REPAIR	=		TEMPORARILY			
	A CONTRACT C			STRUCTION				
		CHANGE TO PREVIOUS PLANS	OPERATOI	RCHANGE	TUBING REPAI			
		CHANGE TUBING	PLUG AND	ABANDON	VENT OR FLAF	RE		
	SUBSEQUENT REPORT (Submit Original Form Only)					SAL		
	•	CHANGE WELL STATUS	PRODUCTI	ON (START/RESUME)	WATER SHUT-	OFF		
	Date of work completion:	COMMINGLE PRODUCING FORMATIONS	☐ RECLAMA	ION OF WELL SITE	OTHER: We	II Status		
		CONVERT WELL TYPE	=	TE - DIFFERENT FORMATION				
		<u> </u>						
12.	DESCRIBE PROPOSED OR C	OMPLETED OPERATIONS. Clearly show all	pertinent details in	cluding dates, depths, volui	mes, etc.			
Th	is well is not producing	and is shut-in until further notice).					
	,							
					•			
						·		
NAM	E (PLEASE PRINT) Kent Kep	oel		_E Landman				
	-	4 1		0/4//0000		· -		
SIGN	IATURE	- Jupel	DA	2/14/2008				

(This space for State use only)

RECEIVED FEB 1 9 2008

UNITED STATES

Form 3160-5		30	A Marked and Calk and a se	1	EODA ADDOUGD
(February 2005)	UNITED STATES DEPARTMENT OF THE	INTERIOR.		,	FORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007
	BUREAU OF LAND MAN			5. Lease Seria	
	NOTICES AND REI				· · · · · · · · · · · · · · · · · · ·
	nis form for proposals t ell. Use Form 3160-3 (/			6. If Indian	, Allottee or Tribe Name
	IPLICATE- Other insti	ructions on rev	erse side.	7. If Unit or	CA/Agreement, Name and/or No.
1. Type of Well Oil Well	8. Well Nar Cisco 3				
2. Name of Operator Running Fox	tes Petroleum			9. API We	ell No.
3a Address 7060 B South Tucson Way	Centennial, CO 80112	3b. Phone No. (inch 720-889-0510	ude area code)	43-019-	d Pool, or Exploratory Area
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description)			Greate	r Cisco
2195' fnl & 500' fel SE SE NE S30 T20S R24E	C			1	or Parish, State County, Utah
12. CHECK A	PPROPRIATE BOX(ES) TO	INDICATE NATI	URE OF NOTICE, R	EPORT, OR	OTHER DATA
TYPE OF SUBMISSION		Т	YPE OF ACTION		
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production (Sta	rt/Resume)	Water Shut-Off Well Integrity
✓ Subsequent Report	Casing Repair	New Construction	n Recomplete		Other
Final Abandonment Notice	Change Plans	Plug and Abandor		andon	
Thiai Abandonnichi Nodec	Convert to Injection	Plug Back	Water Disposal		
Attach the Bond under which the following completion of the investing has been completed. Fit determined that the site is ready	he work will be performed or provi volved operations. If the operation nal Abandonment Notices must be y for final inspection.) the BLM that Running Foxes P	de the Bond No. on fil results in a multiple co- filed only after all requ	e with BLM/BIA. Require impletion or recompletion is irements, including reclam ed the aforementioned	ed subsequent r n a new interva ation, have bee well. This we	as of all pertinent markers and zones. eports must be filed within 30 days I, a Form 3160-4 must be filed once in completed, and the operator has ell was acidized with 500 gallons in update of the wells status will
Attached: Treatment Rep	oort				
14. I hereby certify that the fore Name (Printed/Typed)	going is true and correct				
Neil D. Sharp		Title	Geologist		
Signature	PASG	Date	3/6/08		
	THIS SPACE FOR I	FEDERAL OR	STATE OFFICE	USE	
Approved by			Title	Г	Pate
Conditions of approval, if any, are				<u>I.</u>	
certify that the applicant holds lega which would entitle the applicant to		n the subject lease	Office		•
winch would entitle the applicant to	conduct operations thereon.				

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. RECEIVED

(Instructions on page 2)

MAR 1 2 2008

FE6A

Well Treatment Report

Date:	21-Jan-0		District: Parachute, CO 81		635 Job No: 110002			11000274	Customer:	Running Fox	es Petroleum	
	1		Lease:	30-8-4		Field:			Location:			
County:	Grand C	ounty UTE	API#:	API No.		Stage #:	Stage 1		Page:	1 of 2		
ooding.	10	oum, ore				1						
	WELL D	ATA	Formation:	Corcoran & Cozze	TD:	0'	PB;			Sand/Mate	rials Job Desig	
Casing Size: 4.50 in Weight:				10.50#		rom/To:670		Surface to T.I)	0 lbs	100 Mesh	
iner Size				n/a		rom/To:382	n/a			0 lbs	30/50 Ottawa	
Tubing Siz				5#		Set at:		n/a		0 ibs	40/70 White	
Packer Ty	<u> </u>			n/a	Т	ail Pipe		n/a		0 lbs	20/40 Ottawa	
			Perf Size:	0.41 "	Perfora	ated Interval:	442	to	446	0 lbs	HFT Diverter	
				{						T		
TRE	ATMEN	T DATA	Job Type:	Slickwater						C		
Pad Type:	:	Slickwater		Acid Volume:	500	gallons	15% Hydro	chloric		L Ca	pacities	
Base Fluid	d Type:	Fresh Water		Pad Volume:	773	gallons	25 KCL					
				Prop Ladden	500	gallons	Slickwater				BBLS	
Foam Qua	ality:	n/a		Flush		gallons	2% KCL			Tubing:	0 bbl	
Prop Type	es:		100 Mesh 5			ppant Quanity Plac		0 18		Casing:	12 bbl	
Prop Type		ļ	30/50 Otta			ppant Quanity Plac		011		Liner	0 bbl	
Prop Type	es:		20/40 Otta			ppant Quanity Plac	ced	0 11		Annular:	0 bbl	
Freat Via:		4.50" 10.50#			al Proppant (Quanity Placed		0 11	os	Open Hole:	0 bbl	
lole Load	led With:	Biocide H20 a	nd or Produc	ed H20						Fluid to load:	0 bbl	
_		Frac custo	mers well ι	ısing equipment	, materials,	, and chemicals	s as per c	ustomer instr	uctions.	Flush: Recover:	12 bbl 42 bbl	
Procedure					·							
Sum	mary									Co2/N2:	n/a	
			Slurry								<u> </u>	
TIME	Treating	g Pressure (ps		Clean BBLS	Slurry BBLS	Slurry BBLS Treatment Fluid (gallons) Proppant /Diverters (I				Job Comments		
(Military)				Stage	Cumulative		ative	Stage	Cumulative			
11:45		i 0 psi	0.0	0 bbl	0 bbl	0		0 lbs	0 lbs	Safety Meeting		
11:52		si 0 psi	0.0	0 bbl	0 bbl	0	<u> </u>	0 lbs	0 lbs	open well 1/2		
11:57	-		0.0	0 bbl	0 bbl	0		0 lbs	0 lbs	Start load ho		
11:58			0.0	0 bbl	0 bbl	0		0 lbs	0 lbs	shut down p		
0:00			0.0	0 bbl	0 bbl	0		0 lbs	0 lbs	 	ve of location	
8:45			0.0	0 bbl	0 bbl	0		0 lbs	0 lbs	Safety meeting test lines	ily 1/22/06	
8:51			0.0	0 bbl	0 bbl	0		0 lbs	0 lbs	open well 1/2	22/08	
8:55			1.0	0 bbl 7 bbl	0 bbl	0		0 lbs	0 lbs	start loading		
8:56	<u> </u>		0.0	O bbl	2 bbl	0		0 lbs	0 lbs	 	rease broke ba	
8:56 8:56			3.0	O bbl	2 bbl	0		0 lbs	0 lbs	increase rate		
8:57			3.0	12 bbl	7 bbl	0		0 lbs	0 lbs	start Acid		
9:02			3.0	0 bbl	19 bbl	0		0 lbs	0 lbs	start flush		
9:07			3.0	12 bbl	19 bbl	0		0 lbs	0 lbs	shut down		
9:07			0.0	0 bbl	31 bbi	0		0 lbs	0 lbs	isip 234 psi		
9:12	 -		0.0	0 bbl	31 bbl	0		0 lbs	0 lbs	5 min		
9:17			0.0	0 bbl	31 bbl	0		0 lbs	0 lbs	10 min		
9:22			0.0	0 bbl	31 bbl	0		0 lbs	0 lbs			
0:00			0.0	0 bbl	31 bbl	0		0 lbs	0 lbs	close we;;		
0:00			0.0	0 bbl	31 bbl	0		0 lbs	0 lbs			
reating P	ressure:M		600 psi		Maximum:	1,480 psi			Average:	#DIV/0!		
	Rate:Minim		3.0 bpm		Maximum:	3.0 bpm			Average:	#DIV/0!		
	perators Maximum Pressure: 5,000 psi				Initial F.G.	#DIV/0!			Final F.G.	#DIV/0!		
nitial Shu	itial Shut Down Pressure: 234 psi				Final Shut In	234 psi						
rustomer	Represent	tativo.	Rolando Be	navides		Frac Tech Repre	esentative:		Hugo Ramirez	:		



Well Treatment Report

Frac Tech Sevices L.L.C.


Running Foxes Petroleum 30-8-4

Page 2 of 2

Stage 1

						Oluge 1			
			Siurry					-	
TIME	Treating Pre	ssure (psi)	Rate	Clean BBLS	Sturry BBLS	Treatment Fluid (gallons)	Proppants / Diverters (lbs)		Job Comments
(Military)	STP 1	STP 2	ВРМ	Stage/Event	Cumulative	Cumualative	Stage	Cumulative	
0:00	0 psi	0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00	· · · · · · · · · · · · · · · · · · ·	0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbi	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00	,	0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psì	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	. 0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00	·	0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00	 	0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	. O bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	
0:00		0 psi	0.0	0 bbl	31 bbl	1,281	0 lbs	0 lbs	





Running Foxes Petroleum 30-8-4

FORM 9

STATE OF UTAH

		DEPARTMENT OF NATURAL RESOUR	RCES	ACTION	Low bear Season	t A I
	· ·	DIVISION OF OIL, GAS AND MI	NING	; W		ASE DESIGNATION AND SERIAL NUMBER:
	SUNDRY	6. IF	NDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use	e this form for proposals to drill ne drill horizontal la		7. UNIT or CA AGREEMENT NAME:			
1. TYPE O	OIL WELL	GAS WELL 🗹 OTHER_				ELL NAME and NUMBER:
2. NAME C	F OPERATOR:					NUMBER:
Runnir	ng Foxes Petroleum	, Inc.			430	01931529
	SS OF OPERATOR: South Tucson Way	, Centennial STATE CO ZIP	80112	PHONE NUMBER: (720) 889-0510		ELD AND POOL, OR WILDCAT: eater Cisco
	ON OF WELL GES AT SURFACE: 2195' F	COUN	COUNTY: Grand			
QTR/QT	R. SECTION. TOWNSHIP. RANG	GE MERIDIAN: 30 20S 2	4E		STAT	E:
QTR/QT	R, SECTION, TOWNSHIP, RANG					UTAH
QTR/QT		GE, MERIDIAN: 30 20S 2 ROPRIATE BOXES TO INDICAT		OF NOTICE, RE		UTAH
11.			E NATURE	OF NOTICE, RE		UTAH
11.	CHECK APPF E OF SUBMISSION		E NATURE			UTAH
11. TYPE	CHECK APPF	ROPRIATE BOXES TO INDICAT	E NATURE	YPE OF ACTION		UTAH DR OTHER DATA
TYPE NOT	CHECK APPR E OF SUBMISSION TICE OF INTENT	ROPRIATE BOXES TO INDICAT	E NATURE 1 DEEPEN FRACTURE	YPE OF ACTION		UTAH DR OTHER DATA REPERFORATE CURRENT FORMATION
TYPE NOT	CHECK APPR E OF SUBMISSION TICE OF INTENT Submit in Duplicate)	ROPRIATE BOXES TO INDICAT ACIDIZE ALTER CASING	E NATURE DEEPEN FRACTURI NEW CON	YPE OF ACTION		UTAH OR OTHER DATA REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
TYPE NOT (S	CHECK APPR E OF SUBMISSION TICE OF INTENT Submit in Duplicate)	ROPRIATE BOXES TO INDICAT ACIDIZE ALTER CASING CASING REPAIR	DEEPEN FRACTURE NEW CON OPERATO	YPE OF ACTION ETREAT STRUCTION		UTAH DR OTHER DATA REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON
TYPE NOT (S Appro	CHECK APPR E OF SUBMISSION TICE OF INTENT submit in Duplicate) oximate date work will start:	CASING REPAIR CHANGE TO PREVIOUS PLANS	DEEPEN FRACTURE NEW CON OPERATO	ETREAT STRUCTION R CHANGE		UTAH OR OTHER DATA REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR
11. TYPE NOT (S Appro	CHECK APPF E OF SUBMISSION TICE OF INTENT Bubmit in Duplicate) oximate date work will start: SEQUENT REPORT Submit Original Form Only)	COPRIATE BOXES TO INDICAT ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING	DEEPEN FRACTURE FRACTURI NEW CON OPERATO PLUG BAC	ETREAT STRUCTION R CHANGE		UTAH DR OTHER DATA REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE
11. TYPE NOT (S Appro	CHECK APPR E OF SUBMISSION TICE OF INTENT submit in Duplicate) oximate date work will start:	CHANGE WELL NAME	DEEPEN FRACTURE FRACTURI NEW CON OPERATO PLUG AND PLUG BAC PRODUCT	TYPE OF ACTION ETREAT STRUCTION R CHANGE ABANDON K		UTAH OR OTHER DATA REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL

This well is not producing and is shut-in until further notice.

NAME (PLEASE PRINT) Kent Keppel	TITLE	Landman
SIGNATURE FINE TIME	DATE	3/12/2008
	_	

(This space for State use only)

RECEIVED

MAR 1 2 2008

^{12.} DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

5. LEASE DESIGNATION AND SERIAL NUMBER:

STATE OF UTAH

CONFIDENTIAL

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

	,			UTU 27403	3		
SUNDR	Y NOTICES AND REPORTS	ON WEL	LS	6. IF INDIAN, ALL	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill drill horizontal	new wells, significantly deepen existing wells below curre laterals. Use APPLICATION FOR PERMIT TO DRILL fo	ent bottom-hole dept	h, reenter plugged wells, or to	7. UNIT or CA AGI	REEMENT NAME:		
1. TYPE OF WELL OIL WELL	GAS WELL 🗸 OTHER			1	8. WELL NAME and NUMBER:		
	9. API NUMBER:	Cisco 30-8-4					
2. NAME OF OPERATOR: Running Foxes Petroleun	n. Inc.			430193152	29		
3. ADDRESS OF OPERATOR:			PHONE NUMBER:	10. FIELD AND PO	OOL, OR WILDCAT:		
	TY Centennial STATE CO ZIP	80112	(720) 889-0510	Greater Ci	sco		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2195'	FNL & 500' FEL SE SE NE			соинту: Gra	nd		
QTR/QTR, SECTION, TOWNSHIP, RAI	NGE, MERIDIAN: 30 20S 24	4E		STATE:	UTAH		
11. CHECK APP	PROPRIATE BOXES TO INDICATI	E NATURE (OF NOTICE, REPO	ORT, OR OTH	ER DATA		
TYPE OF SUBMISSION			PE OF ACTION				
MOTIOS OF WITHIT	ACIDIZE	DEEPEN		REPERFO	DRATE CURRENT FORMATION		
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRA	CK TO REPAIR WELL		
Approximate date work will start:	CASING REPAIR	NEW CONS	TRUCTION	TEMPORA	ARILY ABANDON		
	CHANGE TO PREVIOUS PLANS	OPERATOR	CHANGE	TUBING R	REPAIR		
	CHANGE TUBING	PLUG AND A	ABANDON	VENT OR	FLARE		
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER D	ISPOSAL		
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTIO	N (START/RESUME)	WATERS	HUT-OFF		
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATI	ON OF WELL SITE	OTHER:	Well Status		
•	CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION				
12. DESCRIBE PROPOSED OR C	COMPLETED OPERATIONS. Clearly show all pe	ertinent details inc	luding dates, depths, volun	mes etc			
	and is shut-in until further notice.			•			
This well is not producing	y and is shat-in until farther houce.						
NAME (PLEASE PRINT) Kent Kepp	pel	TITLE	Landman				
		111LE					
SIGNATURE TENC	Timel	DATE	4/18/2008				

(This space for State use only)

RECEIVED
APR 2 1 2008

STATE OF UTAH

		_
-c		റ
FU	RM	9

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING					UTU 27403 *	FORM 9 N AND SERIAL NUMBER:
	SUNDRY	NOTICES AND REPORTS	S ON WEL	LS	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME:
Do n	ot use this form for proposals to drill n drill horizontal la	ew wells, significantly deepen existing wells below cur aterals. Use APPLICATION FOR PERMIT TO DRILL f	rent bottom-hole dep form for such propose	th, reenter plugged wells, or to als.	7. UNIT or CA AGREEM	ENT NAME:
1. TY	PE OF WELL OIL WELL	GAS WELL 🗸 OTHER_			8. WELL NAME and NU Cisco 30-8-4	MBER:
	ME OF OPERATOR:				9. API NUMBER:	
	nning Foxes Petroleum DRESS OF OPERATOR:	ı, Inc.		PHONE NUMBER:	4301931529 10. FIELD AND POOL, OR WILDCAT:	
	0 B South Tucson Way	Y Centennial STATE CO ZIP	80112	(720) 889-0510	Greater Cisco	
	CATION OF WELL OTAGES AT SURFACE: 2195'	FNL & 500' FEL SE SE NE			COUNTY: Grand	
QT	R/QTR, SECTION, TOWNSHIP, RAN	ge, meridian: 30 20S 2	∕4E		STATE:	UTAH
11.	CHECK APPF	ROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OR OTHER	DATA
	TYPE OF SUBMISSION		Τ	YPE OF ACTION		
	NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATI	E CURRENT FORMATION
	(Submit in Duplicate)	ALTER CASING	FRACTURE		_	O REPAIR WELL
	Approximate date work will start:	CASING REPAIR	NEW CONS		TEMPORARILY	
		CHANGE TO PREVIOUS PLANS CHANGE TUBING	OPERATOR PLUG AND		TUBING REPAI	
✓	SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER DISPO	
	(Submit Original Form Only)	CHANGE WELL STATUS	_	` ON (START/RESUME)	WATER SHUT-	
	Date of work completion:	COMMINGLE PRODUCING FORMATIONS		ION OF WELL SITE	OTHER: We	
		CONVERT WELL TYPE		TE - DIFFERENT FORMATION	e onen in	Tr Otocoo
		OMPLETED OPERATIONS. Clearly show all part and is shut-in until further notice.		cluding dates, depths, volume	es, etc.	
NAME	E (PLEASE PRINT) Kent Kepp	pel	TITL	_F Landman		_
	ATURE FINE	Figuel	DAT	E/12/2009		

(This space for State use only)

RECEIVED MAY 1 4 2008

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 27403			
SUNDRY NOTICES AND REPORTS ON W	ELLS 6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such pro-	7. UNIT or CA AGREEMENT NAME: opposals.			
1. TYPE OF WELL OIL WELL GAS WELL OTHER	WELL NAME and NUMBER:			
2. NAME OF OPERATOR:	Cisco 30-8-4			
Running Foxes Petroleum, Inc.	4301931529			
3. ADDRESS OF OPERATOR: 7060 B South Tucson Way CITY Centennial STATE CO ZIP 80112	PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: (720) 889-0510 Greater Cisco			
4. LOCATION OF WELL	(120) 000 0010 Gradio Glado			
FOOTAGES AT SURFACE: 2195' FNL & 500' FEL SE SE NE	county: Grand			
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: 30 20S 24E	STATE: UTAH			
11. CHECK APPROPRIATE BOXES TO INDICATE NATUR	RE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION			
NOTICE OF INTENT	N REPERFORATE CURRENT FORMATION			
	URE TREAT SIDETRACK TO REPAIR WELL			
Approximate date work will start: CASING REPAIR NEW C	ONSTRUCTION TEMPORARILY ABANDON			
CHANGE TO PREVIOUS PLANS OPER	TOR CHANGE TUBING REPAIR			
CHANGE TUBING PLUG	AND ABANDON VENT OR FLARE			
✓ SUBSEQUENT REPORT ☐ CHANGE WELL NAME ☐ PLUG	BACK WATER DISPOSAL			
(Submit Original Form Only) CHANGE WELL STATUS PRODI	JCTION (START/RESUME) WATER SHUT-OFF			
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLA	MATION OF WELL SITE			
CONVERT WELL TYPE RECOI	MPLETE - DIFFERENT FORMATION			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent detail	le including dates denthe valumes etc			
	o motivary dates, deputs, voidines, etc.			
This well is not producing and is shut-in until further notice.				
NAME (PLEASE PRINT) Kent Keppel	πτιε Landman			
NAME (FLEAGE PRINT)				
SIGNATURE JUNE JUSTEL	DATE 6/13/2008			

(This space for State use only)

RECEIVED

JUN 1 6 2008

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

				Face
* 7 * 58 ¥	海童 :	4	0	

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 27403
SUNDRY NOTICES AND REPORTS ON V	VELLS 6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-f drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such	nole depth, reenter plugged wells, or to proposals. 7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Cisco 30-8-4
2. NAME OF OPERATOR:	9. API NUMBER:
Running Foxes Petroleum, Inc.	4301931529
3. ADDRESS OF OPERATOR: 7060 B South Tucson Way Centennial STATE CO ZIP 80112	PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: (720) 889-0510 Greater Cisco
4. LOCATION OF WELL	
FOOTAGES AT SURFACE: 2195' FNL & 500' FEL SE SE NE	county: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: 30 20S 24E	STATE:
	UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATU	
TYPE OF SUBMISSION	TYPE OF ACTION
NOTICE OF INTENT	PEN REPERFORATE CURRENT FORMATION
	CTURE TREAT SIDETRACK TO REPAIR WELL
	V CONSTRUCTION TEMPORARILY ABANDON
	RATOR CHANGE UIBING REPAIR
	G AND ABANDON VENT OR FLARE
(Submit Original Form Only)	G BACK WATER DISPOSAL
Date of work completion:	DUCTION (START/RESUME) WATER SHUT-OFF
	LAMATION OF WELL SITE OTHER: Well Status
CONVERT WELL TYPE REC	OMPLETE - DIFFERENT FORMATION
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent de	tails including dates, depths, volumes, etc.
This well is not producing and is shut-in until further notice.	
NAME (PLEASE PRINT) Kent Keppel	TITLE Landman
SIGNATURE First Jugel	DATE 7/14/2008

(This space for State use only)

RECEIVED JUL 15 2008

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 27403
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Cisco 30-8-4
2. NAME OF OPERATOR: Running Foxes Petroleum, Inc.	9. API NUMBER: 4301931529
3. ADDRESS OF OPERATOR: PHONE NUMBER: (720) 889-0510	10. FIELD AND POOL, OR WILDCAT: Greater Cisco
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2195' FNL & 500' FEL SE SE NE	county: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: 30 20S 24E	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CASING REPAIR NEW CONSTRUCTION CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON CHANGE WELL NAME PLUG BACK CHANGE WELL STATUS PRODUCTION (START/RESUME)	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	✓ OTHER: Well Status
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume. This well is not producing and is shut-in until further notice.	≥s, etc.
NAME (PLEASE PRINT). Kent Keppel	

(This space for State use only)

NAME (PLEASE PRINT)

RECEIVED

SEP 08 2008

9/4/2008

DATE

FORM 9

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OU GAS AND MINING

1	DIVISION OF OIL, GAS AND MI		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 27403	
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill n drill horizontal is	new wells, significantly deepen existing wells below cur aterals. Use APPLICATION FOR PERMIT TO DRILL 1	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	7. UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL OIL WELL			8. WELL NAME and NUMBER:	
2. NAME OF OPERATOR:			Cisco 30-8-4 9. API NUMBER:	
Running Foxes Petroleum	ı, Inc.		4301931529	
3. ADDRESS OF OPERATOR:	<u> </u>	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:	
7060 B South Tucson Way	Y Centennial STATE CO ZIP	,80112 (720) 889-0510	Greater Cisco	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2195'	FNL & 500' FEL SE SE NE		COUNTY: Grand	
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN: 30 20S 2	24E	STATE: UTAH	
11. CHECK APPF	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION	
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL	
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON	
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR	
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE	
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL	
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF	
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	✓ other: Well Status	
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION		
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all p	pertinent details including dates, depths, volume	es, etc.	
This well is not producing	and is shut-in until further notice.			
·····o				
NAME (PLEASE PRINT) Kent Kepp	pel	_{TITLE} Landman		
7	Timel	10/23/2008		
SIGNATURE JANC	- proper	DATE 10/23/2000		

(This space for State use only)

RECEIVED

OCT 27 2008

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

CON			ΛΙ	FOR
VVI		. EA	S DISIGNAT	ION AND SERIAL NUMBER:

FORM 9

	■UTU 27 466
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1 TYPE OF WELL	8. WELL NAME and NUMBER:
OIL WELL GAS WELL 🗹 OTHER	Cisco 30-8-4
2. NAME OF OPERATOR:	9. API NUMBER: 4301931529
Running Foxes Petroleum, Inc. 3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
7060 B South Tucson Way CITY Centennial STATE CO ZIP 80112 (720) 889-0510	Greater Cisco
4. LOCATION OF WELL	
FOOTAGES AT SURFACE: 2195' FNL & 500' FEL SE SE NE	COUNTY: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: 30 20S 24E	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
□ NOTICE OF INTENT □ ACIDIZE □ DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ отнек: Well Status
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	nes. etc.
This well is not producing and is shut-in until further notice.	
This works het producing and is order in and larger house.	
	
NAME (PLEASE PRINT) Kent Keppel TITLE Landman	
SIGNATURE Just Just 1/9/2009	

(This space for State use only)

RECEIVED

JAN 1 2 2009

STATE OF UTABLE DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

DIVIDION OF OIL, OAD AND WINNING	UTU 27403
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER:
	Cisco 30-8-4
2. NAME OF OPERATOR: Running Foxes Petroleum, Inc.	9. API NUMBER: 4301931529
3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
7060 B South Tucson Way CITY Centennial STATE CO ZIP 80112 (720) 889-0510	Greater Cisco
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2195' FNL & 500' FEL SE SE NE	COUNTY: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: 30 20S 24E	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ отнек: Well Status
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume. This well is not producing and is shut-in until further notice.	es, etc.
NAME (PLEASE DRINT). Kent Keppel	
TABLE (LEAGLET MAT)	
SIGNATURE FINT FUEL DATE 2/19/2009	

(This space for State use only)

RECEIVED

FEB 2 3 2009

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINIC

15. LEASE DESIGNATION AND SERIAL NUMBER:

UTU 27403

			101	J 21403	
	SUNDRY	NOTICES AND REPORTS ON WELLS	6. IF II	NDIAN, ALLOTTEE OR TRIBE NAME:	
Do r	not use this form for proposals to drill n	iew wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to sterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNI	T or CA AGREEMENT NAME:	
	PE OF WELL		8. WE	LL NAME and NUMBER:	
	OIL WELL	GAS WELL OTHER	Cise	co 30-8-4	
2. N/	AME OF OPERATOR:		9. API	9. API NUMBER:	
Ru	nning Foxes Petroleum	ı, Inc.	430	4301931529	
	DDRESS OF OPERATOR:	PHONE NUMBER:		ELD AND POOL, OR WILDCAT:	
	0 B South Tucson Way CIT	Y Centennial STATE CO ZIP 80112 (720) 889-0510	Gre	eater Cisco	
	OCATION OF WELL				
FC	DOTAGES AT SURFACE: 2195'	FNL & 500' FEL SE SE NE	COUN	ry: Grand	
Q1	TR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN: 30 20S 24E	STATE		
				UTAH	
11.	CHECK APPI	ROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, O	R OTHER DATA	
	TYPE OF SUBMISSION	TYPE OF ACTION			
	NOTICE OF INTENT	ACIDIZE DEEPEN		REPERFORATE CURRENT FORMATION	
	(Submit in Duplicate)	ALTER CASING FRACTURE TREAT		SIDETRACK TO REPAIR WELL	
	Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION		TEMPORARILY ABANDON	
		CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	$\overline{\sqcap}$	TUBING REPAIR	
		CHANGE TUBING PLUG AND ABANDON	一	VENT OR FLARE	
Z	SUBSEQUENT REPORT	CHANGE WELL NAME PLUG BACK	믐	WATER DISPOSAL	
	(Submit Original Form Only)		님		
	Date of work completion:	CHANGE WELL STATUS PRODUCTION (START/RESUME)	ᆜ	WATER SHUT-OFF	
		COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	V	OTHER: Well Status	
		CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION			
12.	DESCRIBE PROPOSED OR CO	DMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volun	nes, etc.		
Th	ie well ie not producina	and is shut-in until further notice.			
	is well is flot producing	and is shut-in until further notice.			
	·			<u> </u>	
NAMI	(PLEASE PRINT) Kent Kepp	pel _{TITLE} Landman			
. 57 1181					
SIGN	ATURE FINT	MATE 4/9/2009			

(This space for State use only)

RECEIVED

APR 1 4 2009

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING



FORM 9

	UTU 27403
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Cisco 30-8-4
2. NAME OF OPERATOR: Running Foxes Petroleum, Inc.	9. API NUMBER: 4301931529
3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
7060 B South Tucson Way CITY Centennial STATE CO ZIP 80112 (720) 889-0510	Greater Cisco
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2195' FNL & 500' FEL SE SE NE	COUNTY: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: 30 20S 24E	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT. OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE TUBING CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE DEEPEN PRACTURE TREAT NEW CONSTRUCTION OPERATOR CHANGE PRODUCTION (START/RESUME) RECOMPLETE - DIFFERENT FORMATION	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER: Well Status
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume. This well is not producing and is shut-in until further notice.	es, etc.
NAME (PLEASE PRINT) Kent Keppel TITLE Landman	
SIGNATURE FINT JUNES DATE 5/14/2009	· · · · · · · · · · · · · · · · · · ·

(This space for State use only)

RECEIVED MAY 19 2009



DIVISION OF OIL, SAS AND MINNING	UTU 27403									
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:									
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:									
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER:									
2. NAME OF OPERATOR:	Cisco 30-8-4 9. API NUMBER:									
Running Foxes Petroleum, Inc.	4301931529									
3. ADDRESS OF OPERATOR: 7060 B South Tucson Way CITY Centennial STATE CO ZIP 80112 PHONE NUMBER: (720) 889-0510	10. FIELD AND POOL, OR WILDCAT: Greater Cisco									
4. LOCATION OF WELL										
FOOTAGES AT SURFACE: 2195' FNL & 500' FEL COUNTY: Grand										
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 30 20S 24E 6 STATE: UTAH										
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA									
TYPE OF SUBMISSION TYPE OF ACTION										
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION									
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL									
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON									
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR									
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE									
SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL NAME PLUG BACK	WATER DISPOSAL									
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF									
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: Well Status									
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION										
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume. This well is not producing and is shut-in until further notice.	es, etc.									
NAME (PLEASE PRINT) Kent Keppel TITLE Landman										
6/22/2000										
SIGNATURE DATE 0/22/2009										

(This space for State use only)

RECEIVED JUN 2 4 2009



FORM 9

STATE OF UTAH

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 27403									
SUNDRY	NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:								
Do not use this form for proposals to drill n drill horizontal is	new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, caterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:								
1. TYPE OF WELL OIL WELL		8. WELL NAME and NUMBER: Cisco 30-8-4								
2. NAME OF OPERATOR: Running Foxes Petroleum	ı, Inc.	9. API NUMBER: 4301931529								
ADDRESS OF OPERATOR: 7060 B South Tucson Way CITT	10. FIELD AND POOL, OR WILDCAT: Greater Cisco									
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2195'		county: Grand								
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 30 20S 24E 6 STATE:										
11. CHECK APPI	ROPRIATE BOXES TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA								
TYPE OF SUBMISSION	TYPE OF ACTION									
NOTICE OF INTENT	ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION								
(Submit in Duplicate)	ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL								
Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON								
	CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR								
	CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE								
SUBSEQUENT REPORT	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL								
(Submit Original Form Only)	CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF								
Date of work completion:	COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ OTHER: Well Status								
	CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMA									
	OMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, vand is shut-in until further notice.	olumes, etc.								

(This space for State use only)

SIGNATURE

NAME (PLEASE PRINT) Kent Keppel

RECEIVED

JUL 1 5 2009

TITLE Landman

DATE

7/13/2009

CONFIDENTIAL

FORM 9

	DEPARTMENT OF NATURAL RESOU	DOES			1 STAN 0			
	DIVISION OF OIL, GAS AND MI			5. LEA	SE DESIGNATION AND SERIAL NUMBER:			
				UTU 27403				
SUNDRY	NOTICES AND REPORT	S ON WEL	LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
	new wells, significantly deepen existing wells below cu aterals. Use APPLICATION FOR PERMIT TO DRILL			7. UNI	T or CA AGREEMENT NAME:			
1. TYPE OF WELL		ionn for each propose		8. WE	LL NAME and NUMBER:			
OIL WELL	GAS WELL OTHER_			Ciso	00 30-8-4			
2. NAME OF OPERATOR:				I	NUMBER:			
Running Foxes Petroleum 3. ADDRESS OF OPERATOR:	ı, ınc.		PHONE NUMBER:	<u> </u>	1931529 ELD AND POOL, OR WILDCAT:			
7060 B South Tucson Way	Y Centennial STATE CO ZIF	80112	(720) 889-0510	1	eater Cisco			
4. LOCATION OF WELL	3 OFFICE AF		1 \	1				
FOOTAGES AT SURFACE: 2195'	FNL & 500' FEL			COUN	ry: Grand			
QTR/QTR, SECTION, TOWNSHIP, RAM	STATE	: UTAH						
·· CHECK ADD	BOBBIATE BOYES TO INDICAT	TE NATURE	OF NOTICE BEDO	DT O	B OTHER DATA			
	ROPRIATE BOXES TO INDICAT			KI, O	R OTHER DATA			
TYPE OF SUBMISSION			YPE OF ACTION					
NOTICE OF INTENT	ACIDIZE	DEEPEN		닐	REPERFORATE CURRENT FORMATION			
(Submit in Duplicate)	ALTER CASING	FRACTURE			SIDETRACK TO REPAIR WELL			
Approximate date work will start:	CASING REPAIR	☐ NEW CONS			TEMPORARILY ABANDON			
	CHANGE TO PREVIOUS PLANS	☐ OPERATOR		ᆜ	TUBING REPAIR			
[7]	CHANGE TUBING	PLUG AND	ABANDON	Ш	VENT OR FLARE			
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	<		WATER DISPOSAL			
Date of work completion:	CHANGE WELL STATUS	PRODUCTION	ON (START/RESUME)		WATER SHUT-OFF			
	COMMINGLE PRODUCING FORMATIONS	RECLAMAT	ION OF WELL SITE	\checkmark	отнек: Well Status			
	CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION					
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all I	pertinent details in	cluding dates, depths, volum	es, etc.				
This well is not producing	and is shut-in until further notice	_						
		•						
NAME (PLEASE PRINT) Kent Kept	nol	**.	Landman					
NAME (PLEASE PRINT) Kent Kept	751	TITL	_E Landman					

(This space for State use only)

RECEIVED

AUG 17 2009

First Typel

8/12/2009

DATE



FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 27403
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plug drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Cisco 30-8-4
2. NAME OF OPERATOR: Running Foxes Petroleum, Inc.	9. API NUMBER: 4301931529
3. ADDRESS OF OPERATOR: 7060 B South Tucson Way CITY Centennial STATE CO ZIP 80112 (720) 88	BER: 10. FIELD AND POOL, OR WILDCAT: 89-0510 Greater Cisco
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2195' FNL & 500' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 30 20S 24E 6	COUNTY: Grand STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTI	ICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF AC	CTION
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS DEEPEN FRACTURE TREAT NEW CONSTRUCTION OPERATOR CHANGE	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: CHANGE WELL NAME PRODUCTION (START/RE COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL: CONVERT WELL TYPE RECOMPLETE - DIFFEREN	SITE OTHER: Well Status
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates. This well is not producing and is shut-in until further notice.	depths, volumes, etc.
NAME (PLEASE PRINT) Kent Keppel TITLE Landm	

(This space for State use only)

RECEIVED

CONFIDENTIAL


FORM 9

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OU. GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 27403									
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:									
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:									
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Cisco 30-8-4									
2. NAME OF OPERATOR:	9. API NUMBER:									
Running Foxes Petroleum, Inc.	4301931529									
3. ADDRESS OF OPERATOR: 7060 B South Tucson Way CITY Centennial STATE CO ZIP 80112 PHONE NUMBER: (720) 889-0510	10. FIELD AND POOL, OR WILDCAT: Greater Cisco									
4. LOCATION OF WELL										
FOOTAGES AT SURFACE: 2195' FNL & 500' FEL COUNTY: Grand										
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 30 20S 24E 6 STATE:										
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA									
TYPE OF SUBMISSION TYPE OF ACTION										
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION									
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL									
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON									
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR									
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE									
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL									
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF									
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: Well Status									
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION										
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume This well is not producing and is shut-in until further notice.	es, etc.									
NAME (PLEASE PRINT) Kent Keppel TITLE Landman										
SIGNATURE FIRE DATE 10/20/2009										

(This space for State use only)

RECEIVED OCT 2 6 2009



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMBNO. 1004-0137 Expires: March 31, 2007

										L_				
WE	LL CC	OMPLE	OMPLETION OR RECOMPLETION REPORT AND LOG								5. Lease Serial No.			
0.72.7		F	710		0.1								or Triba Nama	
											6. II INC	nan, Anotte	e or i fibe Name	
of Complet	tion:	\sqrt{N}	lew Well	Work Over	Deepei	n 🔲 Pli	ug Back	\Box D	iff. Resv	т.,				
-		Other									7. Unit	or CA Agree	ement Name and No.	
e of Operato	or											 		
ic or operati	Run	ning Fox	tes Petrolei	um									Well No.	
						la. Di	NT.	<i>(</i> : 1 1		2.1				
ress 7060]	B South	h Tucson	Way					1	area co	ae)			-00-00	
								0310		1				
ition of Well	l (Report	t location	clearly and i	n accordance with	i Federal i	requiremen	nts)*			1				
urface -	2105' fn	1 & 500°	fal SE SE	NIC							Gre	ater Cisco		
4	61 <i>7</i> 3 III	1 62 300	iei se se	NE						1	1. Sec.,	T., R., M., o	on Block and	
op prod. inte	rval repo	orted below	N								Surve	ey or Area	S30 T20S R24E	
										1	2. Cour	ity or Parish	13. State	
otal depth											Gran	d	UT	
Spudded		15.	Date T.D. R	Leached		16. Date C	omplete	d		1	7. Eleva	ations (DF,	RKB, RT, GL)*	
11/2007			06/14/20	07		D &	ķΑ	✓ Read	dy to Pro	od.	4481	'GL 4488	.5' KB	
I Depth: N	4D 90	9 ft.	1	9. Plug Back T.D.	: MD 6	570 ft		20. D	epth Bri	dge Plug Se	et: MI)		
•		- 10		- · · · · · · · · · · · · · · · · · · ·		770 16.		_	-F					
											_	D		
Electric &	Other	Mechanic	al Logs Run	(Submit copy of	each)								mit analysis)	
sity Neutro	on, Dna	l Inducti	op. Cemer	ıt				W	as DST	run?	No [mit report)	
-								D	irection	al Survey?	✓ No	Yes (Submit copy)	
ng and Lin	er Reco	rd (Repo	ort all strin	gs set in well)								-		
e Size/Gr	ade V	Vt. (#/ft.)	Ton (MI)) Bottom (MI					z SI	urry Vol.	Camer	nt Ton*	Amount Pulled	
			- ` `	<u> </u>	7) D	epth			nt	(BBL)	Center	n tob.	1 2220 0000 1 0010 0	
	' 2	4#	Surface	122 ft.			66 sa	cks			Surfa	ce		
J55							Type	III						
4.5"	1	0.5#	Surface	670 ft.			57 sa	cks			240' (GL		
J55							Туре	III		·				
						•		-						
ng Record			1		J									
·	Set (M)	D) Packe	T Denth (MI)) Sign	Denth	Sat (MD)	Doolson	Donth (A	w)	C!	Danil	L C++ (1 (T))	D. d. D. d. 0.00	
Бери	i bet (IVI) Tack	a Depui (Mi	Size	Depui	Set (MD)	Facker	Depui (N		Size	Depu	n Set (MD)	Packer Depth (MD	
noing Intern	ola				100	D C 4'	L							
		1	Tom	D-44-										
	11						Interval			No. I	Holes	I	Perf. Status	
akota			402' GL	506' GL	442'-	446' GL			.34"	16 ho	les	Open		
	Y													
			~											
											,			
Fracture, Tr	reatment,	Cement S	queeze, etc.											
Donth Inton	val					A	mount a	nd Type	of Mater	ial				
Debri mier			500 gallor	is of 15% HCL	·····	•								
6' GL						4.4.4		-			**-	~		
						190								
	rval A													
uction - Inte	Hours	Test	Oil	Gas	Water	Oil Grav	rity	Gas		Production	Method			
uction - Inte	Hours Tested	Test Produc	tion Oil BBL	MCF	BBL	Oil Grav Corr. Al	ity Pl	Gas Grav						
uction - Inte	Hours Tested		o Oil BBL	MCF 1.3	BBL 0	n/a	ity I	Grav n/a	rity	Production Orifice Te				
uction - Inte Test Date 09/01/2008 Tbg. Press.	Hours Tested 1 Csg.	Produc 24 Hr.	tion Oil BBL 0	MCF 1.3 Gas	BBL 0 Water	n/a Gas/Oil	ity I	Grav	rity					
uction - Inte Test Date 09/01/2008 Tbg. Press. Flwg.	Hours Tested 1 Csg. Press.	Produc	tion Oil BBL Oil BBL	MCF 1.3 Gas MCF	BBL 0 Water BBL	n/a Gas/Oil Ratio	ity Y	Grav n/a	rity		est			
uction - Inte Test Date 09/01/2008 Tbg. Press. Flwg. SI 170#	Hours Tested 1 Csg. Press.	Produc 24 Hr.	tion Oil BBL 0	MCF 1.3 Gas	BBL 0 Water	n/a Gas/Oil	ity PI	Grav n/a	rity	Orifice Te	est			
uction - Inte Test Date 09/01/2008 Tbg. Press. Flwg. SI 170# Juction - Inte	Hours Tested 1 Csg. Press. 8#	Produc 24 Hr. Rate	oil BBL Oil BBL O	MCF 1.3 Gas MCF 31.2	BBL 0 Water BBL 0	n/a Gas/Oil Ratio n/a		Grav	rity	Orifice Te	est			
uction - Inte Test Date 09/01/2008 Tbg. Press. Flwg. SI 170#	Hours Tested 1 Csg. Press.	Produc 24 Hr.	ction Oil BBL 0 Oil BBL 0 Oil	MCF 1.3 Gas MCF 31.2	BBL 0 Water BBL	n/a Gas/Oil Ratio	ity	Grav n/a	Status	Orifice Te	est		DEOE!!	
uction - Inte Test Date 09/01/2008 Tbg. Press. Flwg. SI 170#	Hours Tested 1 Csg. Press. 8# erval B	Produc 24 Hr. Rate	ction Oil BBL Oil BBL Oil BBL Oil BBL	MCF 1.3 Gas MCF 31.2	BBL Water BBL O Water	n/a Gas/Oil Ratio n/a Oil Gravi	ity	Grav n/a Weli	Status	Orifice Te	est		RECEI\	
uction - Inte Test Date 09/01/2008 Tbg. Press. Flwg. SI 170#	Hours Tested 1 Csg. Press. 8# erval B	24 Hr. Rate Test Product	ction Oil BBL Oil BBL Oil BBL Oil BBL	MCF 1.3 Gas MCF 31.2 Gas MCF	BBL Water BBL O Water	n/a Gas/Oil Ratio n/a Oil Gravi	ity	Grav n/a Weli	Status	Orifice Te	est		RECEIV	
	ress 7060 Center ation of Well urface 2 Center at 2 Ce	e of Well Oil c of Completion: ne of Operator Run ress 7060 B Sout Centennial, C ation of Well (Report urface 2195' fn op prod. interval report otal depth c Spudded 11/2007 al Depth: MD 900 TVD re Electric & Other I rest Size/Grade V rest Size/	e of Well Oil Well of of Completion: VN Other ress 7060 B South Tucson Centennial, CO 80112 ation of Well (Report location of Well (Report locati	e of Well Oil Well Gas Well c of Completion: New Well Other The of Operator Running Foxes Petrolet Tess 7060 B South Tucson Way Centennial, CO 80112 Attion of Well (Report location clearly and in turface 2195' fnl & 500' fel SE SE Top prod. interval reported below total depth total depth total depth total Depth: MD 909 ft. TVD TVD TVD TVD TVD TVD TVD TVD	e of Well Oil Well Gas Well Dry Other Other The of Completion: New Well Work Over Other The of Operator Running Foxes Petroleum Tress 7060 B South Tucson Way Centennial, CO 80112 ation of Well (Report location clearly and in accordance with our face 2195' fnl & 500' fel SE SE NE op prod. interval reported below Otal depth Spudded 15. Date T.D. Reached 11/2007 If Depth: MD 909 ft. TVD TVD TVD TVD TVD TVD TVD TVD	e of Well Oil Well	e of Well Oil Well Gas Well Dry Other e of Completion: New Well Work Over Deepen Plane of Operator Running Foxes Petroleum ress 7060 B South Tucson Way Centennial, CO 80112 ation of Well (Report location clearly and in accordance with Federal requirement of the state of Operator Running Foxes Petroleum ress 7060 B South Tucson Way Centennial, CO 80112 ation of Well (Report location clearly and in accordance with Federal requirement of the state of the	e of Well Oil Well	e of Well Oil Well Gas Well Dry Other Other Other Running Foxes Petroleum ress 7060 B South Tucson Way Centennial, CO 80112 ation of Well (Report location clearly and in accordance with Federal requirements)* urface 2195' ful & 500' fel SE SE NE op prod. interval reported below otal depth Spudded 11/2007 Id Depth: MD 909 ft. TVD Electric & Other Mechanical Logs Run (Submit copy of each) Size/Grade Wt. (#/ft.) Top (MD) Size/Grade Wt. (#/ft.) Top (MD) Size/Grade Wt. (#/ft.) Top (MD) Surface 122 ft. 66 sacks J55 J55 J55 J55 J55 J55 J55 J	cof Completion: New Well Work Over Deepen Plug Back Diff. Resv Other The of Operator Running Foxes Petroleum Tess 7060 B South Tucson Way Centennial, CO 80112 Talo-889-0510 Talo-88-050 Talo-889-0510 Talo-889-05	e of Well Oil Well Gas Well Dry Other of Completion: New Well Work Over Deepen Plug Back Diff. Resvr., Other Other Other Other Other Other Other O	cof Well Oil Well Gas Well Dry Other of Completion: New Well Work Over Deepen Plug Back Diff Resvr., Other te of Operator Running Foxes Petroleum Tess 7060 B South Tucson Way Centennial, CO 80112 ation of Well (Report location clearly and in accordance with Federal requirements)* Top prod. interval reported below Top prod. interval reported below Top prod. interval reported below Top 19. Plug Back T.D.: MD 670 ft. TVD TVD TVD TVD TVD TVD TVD TVD	cof Well Oil Well Origon Well Oby Other cof Completion: VNew Well Work Over Deepen Plug Back Diff. Resvr., Other Test 7060 B South Tueson Way Centennial, CO 80112 ation of Well (Report location clearly and in accordance with Federal requirements)* Test 7060 B South Tueson Way Centennial, CO 80112 ation of Well (Report location clearly and in accordance with Federal requirements)* Test 7060 B South Tueson Way Centennial, CO 80112 ation of Well (Report location clearly and in accordance with Federal requirements)* Test 7060 B South Tueson Way Centennial, CO 80112 To Pield and Pool, of Greater Cisco To De&A CReady to Prod. To Deth Fred Plug Set: MD TVD TVD TVD TVD TVD TVD TVD T	

28h Produ	uction - Inte	rval C								
Date First	Test	Hours	Test	Oil	Gas	Water	Oil Gravity	Gas	Production Method	
Produced	Date	Tested	Production	BBL	Gas MCF	BBL	Corr. API	Gravity		
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status		
	luction - Int	erval D								
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method	
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status		
29. Disp	position of (Gas (Sold,	used for fuel,	vented, etc	.)		-	<u> </u>		
30. Sum	marv of Po	rous Zones	(Include Aq	ifers):				31 Format	tion (Log) Markers	· · · · · · · · · · · · · · · · · · ·
Show	w all impor	tant zones	of porosity	and content	s thereof: time tool o	Cored interva	als and all drill-stem and shut-in pressures		402' GL	
Fort	mation	Тор	Bottom		Descr	riptions, Cont	tents, etc.		Name	Top Meas. Depth
K Dakot	ta	442' GL	458' GL	Gas/S	Salt Water	•		K Man	cos	Surface
K Cedar	· Mtn.	508'	562' GL	Salt	Water			K Dako	ota	402' GL
		GL						K Ceda	r Mountain	506' GL
J Morris Brushy l		702' GL	718' GL	Salt	Water			J Morr	ison- Brushy Basin	632' GL
32. Addi	tional rema	rks (includ	e plugging pr	ocedure):						
									·	
☐ El	ectrical/Me indry Notice	chanical L e for plugg	oeen attached ogs (1 full se ing and ceme	t req'd.) nt verificat	Gon Co	eologic Repor ore Analysis	rt DST Report Other:	Direction		
34. I here	eby certify t	hat the fore	egoing and at	ached info	rmation is c	omplete and o	correct as determined	from all availa	able records (see attached instr	ructions)*
Name	(please pri	nt) Neil I	O. Sharp		7		Title Geolog	ist		
Signa	iture	_	led to	!!!!	7		Date	10/50/2	2009	
Title 18 U	J.S.C Secti	on 1001 at	nd Title 43 I	S.C. Secti	on 1212. m	ake it a crime	e for any nerson know	vingly and wil	lfully to make to any departm	ent or agency of the Unite

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 3)

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM

Operator:

Running Foxes Petroleum, Inc.

Operator Account Number: N 2195

Address:

7060-B South Tucson Way

7000-B South Fueson way

city Centennial

state CO zip 80112

Phone Number: (720) 889-0510

Well 1

API Number	Welli	Name	QQ	Sec	Twp	Rng	County
4301931529	Cisco 30-8-4		SENE	30	208	24E	Grand
Action Code	Current Entity Number	New Entity Number	S	pud Da	le		tity Assignment Effective Date
E	16205	16205	6	3/11/200	7	· \$.	6/21/2007

Comments:

Change Formation from Entrada to Dakota

CONFIDENTIAL

Well 2

API Number	Well I	Vame	QQ	Sec	Twp	Rng	County		
Action Code	Current Entity Number	New Entity Number	() () () () () () () () () ()	Spud Date			Entity Assignment Effective Date		
Comments:			<u> </u>	·····					

Well 3

API Number	Well	Name	QQ	Sec	Twp	Rng	County	
Action Code	Current Entity New Entity Number Number		Spud Date			Entity Assignment Effective Date		
Comments:		RECEIVE	D					
		NOV 1 6 200	q					

ACTION CODES:

DIV. OF OIL, GAS & MINING

- A Establish new entity for new well (single well only)
- **B** Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section)

Name (Please Print)

Kent Keppel

Signature

Landman

11/11/2009

Title

Date